



US00D552077S

(12) **United States Design Patent**  
**Brunner et al.**

(10) **Patent No.:** **US D552,077 S**  
(45) **Date of Patent:** **\*\* Oct. 2, 2007**

(54) **HEADPHONE**

(76) Inventors: **Robert Brunner**, 642 Carolina St., San Francisco, CA (US) 94107; **Francois Nguyen**, 1830 Ellis St. #C, San Francisco, CA (US) 94115

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/261,443**

(22) Filed: **Jun. 13, 2006**

(51) **LOC (8) Cl.** ..... **14-01**

(52) **U.S. Cl.** ..... **D14/205**

(58) **Field of Classification Search** ..... D14/188,  
D14/192, 205–206, 223; 2/209; 181/129–130;  
379/430–431; 381/379, 380, 383, 371, 382;  
24/3.1; D29/112

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,104,398 A \* 9/1963 Palmaer ..... 2/209

(Continued)

*Primary Examiner*—Paula A. Greene

(74) *Attorney, Agent, or Firm*—Dergosits & Noah LLP

(57) **CLAIM**

The ornamental design for headphone, as shown.

**DESCRIPTION**

FIG. 1 is a perspective view of a headphone, according to one embodiment of the present invention;

FIG. 2 is a front view of the headphone illustrated in FIG. 1, according to one embodiment of the present invention;

FIG. 3 is a back view of the headphone illustrated in FIG. 1, according to one embodiment of the present invention;

FIG. 4 is a left side view of the headphone illustrated in FIG. 1, according to one embodiment of the present invention;

FIG. 5 is a right side view of the headphone illustrated in FIG. 1, according to one embodiment of the present invention;

FIG. 6 is a top view of the headphone illustrated in FIG. 1, according to one embodiment of the present invention;

FIG. 7 is a bottom view of the headphone illustrated in FIG. 1, according to one embodiment of the present invention;

FIG. 8 is a perspective view of a headphone, according to another embodiment of the present invention;

FIG. 9 is a front view of the headphone illustrated in FIG. 8, according to another embodiment of the present invention;

FIG. 10 is a back view of the headphone illustrated in FIG. 8, according to another embodiment of the present invention;


FIG. 11 is a left side view of the headphone illustrated in FIG. 8, according to another embodiment of the present invention;

FIG. 12 is a right side view of the headphone illustrated in FIG. 8, according to another embodiment of the present invention;

FIG. 13 is a top view of the headphone illustrated in FIG. 8, according to another embodiment of the present invention; and,

FIG. 14 is a bottom view of the headphone illustrated in FIG. 8, according to another embodiment of the present invention.

**1 Claim, 8 Drawing Sheets**



# US D552,077 S

Page 2

---

## U.S. PATENT DOCUMENTS

4,173,715	A *	11/1979	Gosman	.....	381/382	6,449,806	B1 *	9/2002	Engelhard et al.	.....	24/3.1
D313,092	S *	12/1990	Nilsson	.....	D29/112	6,654,966	B2 *	12/2003	Rolla	.....	2/209
D420,356	S *	2/2000	Suzuki	.....	D14/205	D484,868	S *	1/2004	Suzuki	.....	D14/205
6,081,604	A *	6/2000	Hikichi et al.	.....	381/371	D532,407	S *	11/2006	Motoishi	.....	D14/205
D457,512	S *	5/2002	Yoneda	.....	D14/205						

\* cited by examiner




FIG. 1





FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8



FIG. 9



FIG. 10






FIG. 11




FIG. 12




FIG. 13




FIG. 14