



US00D552258S

(12) **United States Design Patent** (10) **Patent No.:** **US D552,258 S**
Strand et al. (45) **Date of Patent:** **** Oct. 2, 2007**

(54) **RETAINING WALL BLOCK**
 (75) Inventors: **Todd P. Strand**, Chisago City, MN
 (US); **Peter P. Stroh**, Mendota Heights,
 MN (US)
 (73) Assignee: **Kiltie Corporation**, Oakdale, MN (US)
 (**) Term: **14 Years**
 (21) Appl. No.: **29/266,963**
 (22) Filed: **Oct. 2, 2006**

2,371,201 A	3/1945	Wells
2,629,135 A	2/1953	Johnson
2,847,848 A	8/1958	Grents
3,036,407 A	5/1962	Dixon
D210,878 S	4/1968	Kocher
3,426,122 A *	2/1969	Gaudelli et al. 264/297.9
3,783,566 A	1/1974	Nielson
3,925,994 A	12/1975	Bengt et al.
3,936,987 A	2/1976	Calvin
3,953,979 A	5/1976	Kurose
4,083,190 A	4/1978	Pey
4,107,894 A	8/1978	Mullins
D249,558 S	9/1978	Blomqvist
4,110,949 A	9/1978	Cambiuzzi et al.
D250,898 S	1/1979	Schuring
D252,951 S	9/1979	Schuring
4,175,888 A	11/1979	Ijima
4,190,384 A	2/1980	Neumann
4,193,718 A	3/1980	Wahrendorf et al.
4,207,718 A	6/1980	Schaaf et al.
4,228,628 A	10/1980	Schlomann
4,262,463 A	4/1981	Hapel
4,312,606 A	1/1982	Sarikelle
4,337,605 A	7/1982	Tudek
4,454,699 A	6/1984	Strobl
4,490,075 A	12/1984	Risi et al.
D278,030 S	3/1985	Risi et al.
4,512,685 A	4/1985	Hegle
D280,024 S	8/1985	Risi et al.
4,565,043 A	1/1986	Mazzarese
4,651,485 A	3/1987	Osborne
4,660,342 A	4/1987	Salisbury
D295,788 S	5/1988	Forsberg
D296,007 S	5/1988	Forsberg
D296,365 S	6/1988	Forsberg
D297,464 S	8/1988	Forsberg
D297,574 S	9/1988	Forsberg
D297,767 S	9/1988	Forsberg
4,784,821 A	11/1988	Leopold
D299,067 S	12/1988	Forsberg
4,802,320 A	2/1989	Forsberg
4,816,897 A	3/1989	Risi
4,825,619 A	5/1989	Forsberg
4,860,505 A	8/1989	Bender
4,884,378 A	12/1989	Scheiwiller
4,884,921 A	12/1989	Smith
D311,444 S	10/1990	Forsberg
4,964,761 A	10/1990	Rossi
D315,026 S	2/1991	Castonguay et al.





Related U.S. Application Data

(62) Division of application No. 29/239,246, filed on Sep. 28, 2005, now Pat. No. Des. 537,533.
 (51) **LOC (8) Cl.** **25-01**
 (52) **U.S. Cl.** **D25/113**
 (58) **Field of Classification Search** D25/112-118;
 D21/484-490, 499-502; 405/15-16, 33,
 405/35, 284-286; 404/29-42; 52/503, 504,
 52/575, 596-599, 603-605, 608, 612
 See application file for complete search history.

References Cited

U.S. PATENT DOCUMENTS

198,651 A	12/1877	McMullen
228,052 A	5/1880	Frost
415,772 A	11/1889	Fiske
415,773 A	11/1889	Fiske
468,838 A	2/1892	Steiger
D21,522 S	5/1892	Lewis
D22,609 S	7/1893	Deslauriene
D22,610 S	7/1893	Deslauriene
697,014 A	4/1902	Putnam
D36,805 S	2/1904	Palmer
D67,647 S	6/1925	Dunn
1,751,272 A	3/1930	Forman
1,795,451 A	3/1931	Sharpe
1,857,995 A	5/1932	Alles
2,235,646 A	3/1941	Schaffer
D134,608 S	12/1942	Larson
2,313,363 A	3/1943	Schmitt



4,993,206	A	2/1991	Pardo	
D317,048	S	5/1991	Forsberg	
D317,209	S	5/1991	Forsberg	
5,017,049	A *	5/1991	Sievert	405/284
D319,885	S	9/1991	Blomquist et al.	
5,044,834	A	9/1991	Janopaul, Jr.	
D321,060	S	10/1991	Blomquist et al.	
5,062,610	A	11/1991	Woolford et al.	
5,161,918	A	11/1992	Hodel	
5,214,898	A	6/1993	Beretta	
D341,216	S	11/1993	Blomquist	
5,294,216	A	3/1994	Sievert	
D346,667	S	5/1994	Blomquist et al.	
D352,789	S	11/1994	Adam	
5,457,926	A	10/1995	Jensen	
D366,704	S *	1/1996	Bryant	D25/113
5,484,235	A	1/1996	Hilfiker et al.	
5,540,525	A	7/1996	Miller et al.	
D378,702	S	4/1997	Blomquist et al.	
5,622,456	A	4/1997	Risi et al.	
D380,560	S	7/1997	Forsberg	
5,707,184	A	1/1998	Anderson et al.	
D391,376	S	2/1998	Strand et al.	
5,735,643	A	4/1998	Castonguay et al.	
D405,193	S *	2/1999	Scales	D25/113
5,865,006	A	2/1999	Dawson	
D406,358	S *	3/1999	Risi et al.	D25/113
6,024,517	A	2/2000	Castonguay et al.	
D425,628	S	5/2000	Barth et al.	
6,073,411	A	6/2000	Ciccarello	
D433,157	S	10/2000	Whitson	
D433,166	S	10/2000	Hammar	
6,138,983	A	10/2000	Sievert	
6,142,713	A	11/2000	Woolford et al.	
6,149,352	A	11/2000	MacDonald	
D435,302	S	12/2000	Blomquist et al.	
D439,678	S	3/2001	Blomquist et al.	
6,224,815	B1	5/2001	LaCroix et al.	
D447,573	S	9/2001	Blomquist et al.	
D452,332	S *	12/2001	Blomquist et al.	D25/113
D458,387	S	6/2002	Blomquist et al.	
D464,147	S *	10/2002	Van Cauwenbergh	D25/113
D464,148	S *	10/2002	Van Cauwenbergh	D25/113
6,488,448	B1	12/2002	Blomquist et al.	
D502,553	S *	3/2005	Sorheim	D25/113
D509,002	S *	8/2005	Sorheim	D25/113
6,960,048	B2	11/2005	Blomquist et al.	

* cited by examiner

Primary Examiner—Louis S. Zarfis
Assistant Examiner—Gregory Andoll
(74) *Attorney, Agent, or Firm*—Gerald E. Helget; Nelson R. Capes; Briggs and Morgan, P.A.

(57) **CLAIM**

The ornamental design for a retaining wall block, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a first embodiment of a retaining wall block of the present invention;

FIG. 2 is a side view, as taken from the left side of the retaining wall block of FIG. 1;

FIG. 3 is a side view, as taken from the right side of the retaining wall block of FIG. 1;

FIG. 4 is a first end view of the retaining wall block of FIG. 1;

FIG. 5 is a second end view of the retaining wall block of FIG. 1;

FIG. 6 is a top plan view of the retaining wall block of FIG. 1;

FIG. 7 is a bottom plan view of the retaining wall block of FIG. 1;

FIG. 8 is a front perspective view of an embodiment of the retaining wall block of the present invention.

FIG. 9 is a side view, as taken from the left side of the retaining wall block of FIG. 8;

FIG. 10 is a side view, as taken from the right side of the retaining wall block of FIG. 8;

FIG. 11 is a first end view of the retaining wall block of FIG. 8;

FIG. 12 is a second end view of the retaining wall block of FIG. 8;

FIG. 13 is a top plan view of the retaining wall block of FIG. 8;

FIG. 14 is a bottom plan view of the retaining wall block of FIG. 8;

FIG. 15 is a front perspective view of a third embodiment of a retaining wall block of the present invention;

FIG. 16 is a side view, as taken from the left side of the retaining wall block of FIG. 15;

FIG. 17 is a side view, as taken from the right side of the retaining wall block of FIG. 15;

FIG. 18 is a first end view of the retaining wall block of FIG. 15;

FIG. 19 is a second end view of the retaining wall block of FIG. 15;

FIG. 20 is a top plan view of the retaining wall block of FIG. 15;

FIG. 21 is a bottom plan view of the retaining wall block of FIG. 15;

FIG. 22 is a front perspective view of a fourth embodiment of the retaining wall block of the present invention;

FIG. 23 is a side view, as taken from the left side of the retaining wall block of FIG. 22;

FIG. 24 is a side view, as taken from the right side of the retaining wall block of FIG. 22;

FIG. 25 is a first end view of the retaining wall block of FIG. 22;

FIG. 26 is a second end view of the retaining wall block of FIG. 22;

FIG. 27 is a top plan view of the retaining wall block of FIG. 22; and,

FIG. 28 is a bottom plan view of the retaining wall block of FIG. 22.




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22




Fig. 23




Fig. 24




Fig. 25




Fig. 26




Fig. 27




Fig. 28