



US00D552314S

(12) **United States Design Patent**
Harper et al.

(10) **Patent No.:** **US D552,314 S**

(45) **Date of Patent:** **** Oct. 2, 2007**

(54) **HAND-GRIP WITH RING**

(75) Inventors: **Richard Michael Harper**, Cincinnati, OH (US); **Robert Allen Godfroid**, Cincinnati, OH (US); **William Michael Cannon**, West Harrison, IN (US); **Samuel Bladgen Truslow**, San Francisco, CA (US); **Anthony Piazza**, Palo Alto, CA (US); **Adrian Benton James**, Palo Alto, CA (US); **Stephanie Lynn Lause**, Alexandria, KY (US)

(73) Assignee: **The Procter & Gamble Company**, Cincinnati, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/242,017**

(22) Filed: **Nov. 3, 2005**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/218,342, filed on Dec. 1, 2004.

(51) **LOC (8) Cl.** **04-01**

(52) **U.S. Cl.** **D32/40**

(58) **Field of Classification Search** D4/100, D4/116, 134, 137, 138, 199; D32/15, 17, D32/18, 19, 21, 22, 25, 31, 32, 33, 35, 38, D32/39, 40, 50, 51, 52; 15/146, 147.1, 149, 15/159.1, 171, 228, 231, 41.1, 42, 43, 46, 15/48, 79.1, 363, 105, 342, 349, 364, 388, 15/190, 209.1, 288, 4, 116.2, 143.1, 97.1, 15/98, 300.1

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D104,128 S * 4/1937 Abrams D7/361

D110,117 S * 6/1938 Weis D7/361
2,372,954 A * 4/1945 Jester 220/776
D152,136 S * 12/1948 Berry D32/50
D156,879 S * 1/1950 Grundstrom D7/395
D250,567 S * 12/1978 Breger D7/649
D294,073 S * 2/1988 Lin D32/51
D317,068 S * 5/1991 Bosworth D32/51
D345,568 S * 3/1994 Feinbloom et al. D16/136
D365,181 S * 12/1995 Gray et al. D32/50
D366,964 S * 2/1996 Berti D4/138
D403,556 S * 1/1999 Juhlin et al. D7/401.2

(Continued)

Primary Examiner—Cathron C. Brooks

Assistant Examiner—Barbara Fox

(74) *Attorney, Agent, or Firm*—Larry L. Huston; Thibault Fayette; Kim William Zerby

(57) **CLAIM**

The ornamental design for a hand-grip with ring, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a hand-grip with ring, embodying the new design;

FIG. 2 is a top view of the hand-grip with ring of FIG. 1;

FIG. 3 is a bottom view of the hand-grip with ring of FIG. 1;

FIG. 4 is a front view of the hand-grip with ring of FIG. 1;


FIG. 5 is a back view of the hand-grip with ring of FIG. 1;

FIG. 6 is a left view of the hand-grip with ring of FIG. 1; and,

FIG. 7 is a right view of the hand-grip with ring of FIG. 1.

The broken lines shown in the drawings are for illustrative purposes only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets



US D552,314 S

Page 2

U.S. PATENT DOCUMENTS

D408,219 S *	4/1999	Lai	D7/401.2	D505,016 S *	5/2005	Hay et al.	D4/138
D424,869 S *	5/2000	Chau	D7/395	D511,645 S *	11/2005	Fort et al.	D7/395
D438,354 S *	2/2001	Cann	D32/35	7,137,169 B2 *	11/2006	Murphy et al.	15/320
D460,318 S *	7/2002	Richied et al.	D7/395	2004/0031121 A1 *	2/2004	Martin et al.	15/246.2
D466,310 S *	12/2002	Vaes	D4/138	2004/0177461 A1 *	9/2004	Ajluni	15/121
D467,396 S *	12/2002	Savage	D32/51	2005/0044649 A1 *	3/2005	Kresse et al.	15/228
D477,498 S *	7/2003	Rowe	D7/395	2005/0055791 A1 *	3/2005	Lin	15/228
D489,842 S *	5/2004	Sedwick	D28/34	2005/0081888 A1 *	4/2005	Pung et al.	134/6
D490,952 S *	6/2004	Ajluni	D32/50	2005/0125927 A1 *	6/2005	Zhadanov et al.	15/209.1
D496,217 S *	9/2004	Sun	D7/393					

* cited by examiner




Fig. 1



Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7