



US00D552351S

(12) **United States Design Patent**
Bauers

(10) **Patent No.:** **US D552,351 S**
(45) **Date of Patent:** **** Oct. 9, 2007**

(54) **CONTAINER/COLLECTION DEVICE**

(76) Inventor: **Joseph Bauers**, 0 South 626 Euclid,
Villa Park, IL (US) 60181

(**) Term: **14 Years**

(21) Appl. No.: **29/234,772**

(22) Filed: **Jul. 22, 2005**

(51) **LOC (8) Cl.** **03-01**

(52) **U.S. Cl.** **D3/294; D3/276; D21/721;**
D34/8; D32/37

(58) **Field of Classification Search** **D3/20,**
D3/201, 205, 206, 242, 254, 257, 260, 273-288,
D3/294, 295, 304-314; D7/601-603, 612,
D7/703, 705-709; D9/420-424, 430-432,
D9/532; D19/75, 77; D21/472, 698, 715,
D21/720, 721, 780, 789, 796, 799.1; D28/73;
D30/109, 129, 133, 161; D32/37, 53, 53.1,
D32/54; D34/1, 2, 7-11; D99/28; 220/495.01-495.11,
220/744, 729, 810-813, 825, 831, 832, 834,
220/836, 904, 908-911, 915.1, 915.2, DIG. 12,
220/DIG. 14; 473/415, 422, 460, 503, 569;
206/579, 315.1, 315.9, 315.11; 232/1 R,
232/1 B, 1 D, 4 R, 44

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,316,979 A * 4/1943 Shipley 206/1.5

(Continued)

Primary Examiner—Catherine Tuttle

(74) *Attorney, Agent, or Firm*—Patula & Associates, P.C.

(57) **CLAIM**

The ornamental design for a container/collection device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view showing my new design for a container/collection device.

FIG. 2 is a top view of the container/collection device of FIG. 1.

FIG. 3 is a bottom view of the container/collection device of FIG. 1.

FIG. 4 is a front view of the container/collection device of FIG. 1.

FIG. 5 is a back view of the container/collection device of FIG. 1.

FIG. 6 is a left side view of the container/collection device of FIG. 1.

FIG. 7 is a right side view of the container/collection device of FIG. 1.

FIG. 8 is a perspective view of the container/collection device of FIG. 1 with the lid open.

FIG. 9 is a perspective view of an alternate embodiment of my design for a container/collection device.

FIG. 10 is a top view of the container/collection device of FIG. 9.

FIG. 11 is a bottom view of the container/collection device of FIG. 9.

FIG. 12 is a front view of the container/collection device of FIG. 9.

FIG. 13 is a back view of the container/collection device of FIG. 9.


FIG. 14 is a left side view of the container/collection device of FIG. 9.

FIG. 15 is a right side view of the container/collection device of FIG. 9; and,

FIG. 16 is a perspective view of the container/collection device of FIG. 9 with the lid open.

The broken line showing of the handle is included for the purpose of illustrating a portion of the container/collection device that forms no part of the claimed design.

1 Claim, 14 Drawing Sheets



US D552,351 S

Page 2

U.S. PATENT DOCUMENTS

3,893,566	A *	7/1975	Ros	220/258.2						
D294,992	S *	3/1988	Bouge	D34/1						
4,763,808	A *	8/1988	Guhl et al.	220/495.1						
4,765,579	A *	8/1988	Robbins et al.	248/101						
D306,509	S *	3/1990	Hanifl et al.	D34/7						
4,923,087	A *	5/1990	Burrows	220/495.1						
5,002,197	A *	3/1991	Ponsi	220/255						
5,090,309	A *	2/1992	Lai	100/226						
						D326,173	S *	5/1992	Newbold	D34/6
						5,511,807	A *	4/1996	Snyder	280/47.26
						5,535,914	A *	7/1996	Badalamenti et al.	220/495.1
						D393,300	S	4/1998	Andrews et al.		
						D396,914	S *	8/1998	Pepper et al.	D32/53
						5,860,658	A *	1/1999	Callahan	280/30
						2004/0242348	A1	12/2004	Power		

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16