



US00D552356S

(12) **United States Design Patent** (10) **Patent No.:** **US D552,356 S**
Newbould et al. (45) **Date of Patent:** **** Oct. 9, 2007**

(54) **ROLLER HANDLE**

JP 9-75293 3/1997
WO WO 83/01734 5/1983

(75) Inventors: **Peter Newbould**, Milan (IT); **Mauro Porcini**, Milan (IT); **Sigurdur Thorsteinsson**, Milan (IT); **Lloyd S. Vasilakes**, Stillwater, MN (US); **Byron E. Trotter**, St. Paul, MN (US)

OTHER PUBLICATIONS

“Nitoms Colo-colo Cleaner,” [retrieved from internet on Feb. 11, 2002], URL http://www.nitoms.com/seihin/2_b.html, and http://www.nitoms.com/kaisha/1_c.html 4 pages, in Japanese (translation attached) by Nitoms Inc., 2000.

(73) Assignee: **3M Innovative Properties Company**, St. Paul, MN (US)

Primary Examiner—Cathron C. Brooks
Assistant Examiner—Lavone D. Tabor
(74) *Attorney, Agent, or Firm*—Trisha D. Adamson

(**) Term: **14 Years**

(21) Appl. No.: **29/244,348**

(57) **CLAIM**

(22) Filed: **Dec. 8, 2005**

The ornamental design for a roller handle, as shown and described.

(51) **LOC (8) Cl.** **08-05**

(52) **U.S. Cl.** **D4/122; D4/138**

(58) **Field of Classification Search** D4/122, D4/131–138; D7/393, 395, 401.2; D8/107, D8/300, 303, DIG. 4, DIG. 6–DIG. 8; 15/104.002, 15/143.1, 159.1, 168, 169, 190, 191.1, 192, 15/193, 230.11; 16/110.1, 430, 431, DIG. 12, 16/DIG. 19; 81/177.1, 489; 492/13, 17–19
See application file for complete search history.

DESCRIPTION

(56) **References Cited**

U.S. PATENT DOCUMENTS

D196,356 S	9/1963	McKay
3,192,548 A	7/1965	Wilbrecht
3,381,325 A	5/1968	Reineman
3,421,170 A	1/1969	Thomas, Jr.
3,623,179 A	11/1971	Roth
3,742,547 A	7/1973	Sohmer
3,906,578 A	9/1975	Huber
4,361,923 A	12/1982	McKay
4,399,579 A	8/1983	McKay
4,422,201 A	12/1983	McKay
D276,763 S	12/1984	McKay
D281,654 S	12/1985	Bladh et al.

(Continued)


FOREIGN PATENT DOCUMENTS

JP 8-322778 12/1996

FIG. 1 is a perspective view of a roller handle attached in an offset orientation to a roller;
FIG. 2 is a perspective view of a roller handle attached in a central orientation to a roller;
FIG. 3 is a perspective view of a roller handle attached to an arched arm on a roller;
FIG. 4 is a left side view of the roller handle attached as depicted in FIG. 1;
FIG. 5 is a front view of the roller handle attached as depicted in FIG. 1, the rear view being a mirror image thereof;
FIG. 6 is a right side view of the roller handle attached as depicted in FIG. 1;
FIG. 7 is a bottom view of the roller handle attached as depicted in FIG. 1; and,
FIG. 8 is a top view of the roller handle attached as depicted in FIG. 1.

The broken lines showing variations of rollers are included for the purpose of illustrating environmental structure and form no part of the claimed design.

1 Claim, 2 Drawing Sheets



US D552,356 S

Page 2

U.S. PATENT DOCUMENTS

D288,973 S	3/1987	Hamazaki	D422,793 S	4/2000	Levin et al.	
4,905,337 A	3/1990	McKay	D423,790 S	5/2000	Solberg	
5,027,465 A	7/1991	McKay	6,055,695 A	5/2000	McKay, Jr.	
D336,784 S	6/1993	Yen	6,127,014 A	10/2000	McKay, Jr.	
5,333,341 A	8/1994	Heneveld	D467,736 S *	12/2002	Russell	D4/122
5,338,300 A	8/1994	Cox	D468,540 S	1/2003	Jessen	
5,763,038 A	6/1998	Wood	D475,537 S	6/2003	Jessen et al.	
D396,906 S	8/1998	Medici	D475,538 S	6/2003	Jessen et al.	
5,878,457 A	3/1999	Cox et al.	D483,570 S *	12/2003	Heidel et al.	D4/122
5,924,157 A	7/1999	Barela	6,688,464 B2	2/2004	Jessen et al.	
5,940,921 A	8/1999	Wood et al.	D489,937 S *	5/2004	Erhardt et al.	D7/395
			2006/0009337 A1 *	1/2006	Smith	492/13

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8