



US00D552448S

(12) **United States Design Patent**
Tang

(10) **Patent No.:** **US D552,448 S**

(45) **Date of Patent:** **** Oct. 9, 2007**

(54) **SECUREMENT APPARATUS**

(76) Inventor: **Gordon Tang**, 13 Diamond 'S' Ranch,
Bellevue, WA (US) 98004

(**) Term: **14 Years**

(21) Appl. No.: **29/244,293**

(22) Filed: **Dec. 7, 2005**

(51) **LOC (8) Cl.** **08-07**

(52) **U.S. Cl.** **D8/330; D8/323**

(58) **Field of Classification Search** D8/330-348,
D8/323, 327, 329; 16/50, 221, 234, 235,
16/286, 254, 385-392

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D183,261 S *	7/1958	Mink	D8/327
6,553,966 B2 *	4/2003	Cornell et al.	123/446
D497,533 S *	10/2004	Wegman	D8/323

* cited by examiner

Primary Examiner—Mitchell Siegel

(74) *Attorney, Agent, or Firm*—Robert M. Storwick

(57) **CLAIM**

The ornamental design for a securement apparatus, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view showing my new design in a disengaged position;

FIG. 2 is a front view of my new design in the disengaged position;

FIG. 3 is a rear view of my new design in the disengaged position;

FIG. 4 is a left side elevational view of my new design in the disengaged position;

FIG. 5 is a right side elevational view of my new design in the disengaged position;

FIG. 6 is a top view of my new design in the disengaged position;

FIG. 7 is a bottom view of my new design in the disengaged position;

FIG. 8 is a perspective view showing my new design in an engaged, but unopened, position;

FIG. 9 is a front view of my new design in the engaged, but unopened, position;

FIG. 10 is a rear view of my new design in the engaged, but unopened, position;

FIG. 11 is a left side elevational view of my new design in the engaged, but unopened, position;

FIG. 12 is a right side elevational view of my new design in the engaged, but unopened, position;

FIG. 13 is a top view of my new design in the engaged, but unopened, position;

FIG. 14 is a bottom view of my new design in the engaged, but unopened, position.

FIG. 15 is a perspective view showing my new design in an engaged, and partially opened, position;

FIG. 16 is a front view of my new design in the engaged, but unopened, position;

FIG. 17 is a rear view of my new design in the engaged, and partially opened, position;

FIG. 18 is a left side elevational view of my new design in the engaged, and partially opened, position;


FIG. 19 is a right side elevational view of my new design in the engaged, and partially opened, position;

FIG. 20 is a top view of my new design in the engaged, and partially opened, position; and,

FIG. 21 is a bottom view of my new design in the engaged, and partially opened, position.

It is to be understood that the present invention could also take the form of mirror images of the Figures.

1 Claim, 19 Drawing Sheets






FIG. 1





FIG. 2






FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21