



US00D552460S

(12) **United States Design Patent**
Takahashi

(10) **Patent No.:** **US D552,460 S**

(45) **Date of Patent:** **** Oct. 9, 2007**

(54) **CORD END STOPPER**

D507,736 S * 7/2005 Wolfberg D8/383

(75) Inventor: **Yoshinobu Takahashi**, Kurobe (JP)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **YKK Corporation**, Tokyo (JP)

JP 1195610 1/2004

(**) Term: **14 Years**

OTHER PUBLICATIONS

(21) Appl. No.: **29/244,410**

Universal Mercantile Exchange website [online] Universal Mercantile Exchange, 2005 [retrieved on Apr. 11, 2007] Retrieved from the internet: <URL: www.umei.com/stoppers/stoppers-1-10.htm.*

(22) Filed: **Dec. 9, 2005**

* cited by examiner

(30) **Foreign Application Priority Data**

Jul. 14, 2005 (JP) 2005-020602

Primary Examiner—Holly H. Baynham

Assistant Examiner—Sheryl Friedman

(74) *Attorney, Agent, or Firm*—Everest Intellectual Property Law Group; Michael S. Leonard

(51) **LOC (8) Cl.** **08-08**

(52) **U.S. Cl.** **D8/383**

(58) **Field of Classification Search** D8/356,

D8/383, 394, 396; 24/115 M, 115 R, 136 R;

D11/212, 215; D2/978

See application file for complete search history.

(57) **CLAIM**

The ornamental design for a cord end stopper, as shown and described.

(56) **References Cited**

DESCRIPTION

U.S. PATENT DOCUMENTS

4,622,723 A * 11/1986 Krauss 24/115 G

D343,570 S * 1/1994 Meier D8/383

5,671,505 A * 9/1997 Anscher 24/115 G

D399,045 S * 10/1998 Liston D2/978

D402,190 S * 12/1998 Anscher D8/383

D417,388 S * 12/1999 Kawahara D8/383

6,018,851 A * 2/2000 Anscher 24/115 G

6,038,746 A * 3/2000 Anscher et al. 24/115 G

D425,783 S * 5/2000 Ishida et al. D8/383

D430,484 S * 9/2000 Ikeda D8/383

D439,148 S * 3/2001 Ishii D8/383

D451,005 S * 11/2001 Murata D8/383

D451,369 S * 12/2001 Murata D8/383

D454,777 S * 3/2002 Yoshiguchi D8/383

D477,772 S * 7/2003 Nezu D8/383

6,658,704 B2 * 12/2003 Buscart 24/115 G

FIG. 1 is a front view of a cord end stopper of the claimed design.

FIG. 2 is a right side view of the cord end stopper of FIG. 1.

FIG. 3 is a top view of the cord end stopper of FIG. 1.

FIG. 4 is a bottom view of the cord end stopper of FIG. 1.

FIG. 5 is a perspective view of the cord end stopper of FIG. 1; and,

FIG. 6 is a perspective reference view of the cord end stopper of FIG. 1, showing it in use.

The broken line showing of the cord is included for the purpose of illustrating environmental structure and forms no part of the claimed design.

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

