



US00D552533S

(12) **United States Design Patent**
Cord et al.

(10) **Patent No.:** **US D552,533 S**
(45) **Date of Patent:** **** Oct. 9, 2007**

(54) **TRUNK ORGANIZER**

(75) Inventors: **William H. Cord**, Corona Del Mar, CA (US); **Robert Crandall**, Yorba Linda, CA (US); **Dany G. Smith**, Grand Prairie, TX (US)

(73) Assignee: **Cord Automotive International, Inc.**, Anaheim, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/266,942**

(22) Filed: **Sep. 29, 2006**

(51) **LOC (8) Cl.** **12-16**

(52) **U.S. Cl.** **D12/422**

(58) **Field of Classification Search** D12/407,
D12/415, 416, 422; 114/361, 343; D3/216,
D3/276, 273-274, 284, 289, 301-305, 299;
211/201, 12; 296/37.1-37.8; 224/497, 925,
224/542-543, 402-406, 563, 311, 313, 901.8

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,434,350 A 10/1922 Collins
2,573,102 A 1/1951 Hennessy

(Continued)

FOREIGN PATENT DOCUMENTS

WO WO 95/27633 10/1995

Primary Examiner—Stacia Cadmus

(74) *Attorney, Agent, or Firm*—Thompson & Gustavson, L.L.P.

(57) **CLAIM**

The ornamental design for a trunk organizer, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a trunk organizer embodying our design, with the first embodiment shown mounted on the inside of the trunk lid of an automobile to show the environment of its use, the trunk lid and automobile forming no part of the present invention;

FIG. 2 is a front view of the first embodiment;

FIG. 3 is a right side view of the first embodiment, the left side view being an identical mirror image of the right side view;

FIG. 4 is a back view of the first embodiment;

FIG. 5 is a top view of the first embodiment;

FIG. 6 is a bottom view of the first embodiment;

FIG. 7 is a perspective view of a second embodiment of a trunk organizer embodying our design, with the second embodiment shown mounted on the inside of the trunk lid of an automobile to show the environment of its use, the trunk lid and automobile forming no part of the present invention;

FIG. 8 is a front view of the second embodiment;



FIG. 9 is a right side view of the second embodiment, the left side view being an identical mirror image of the right side view;

FIG. 10 is a back view of the second embodiment;

FIG. 11 is a top view of the second embodiment; and,


FIG. 12 is a bottom view of the second embodiment.

1 Claim, 6 Drawing Sheets



U.S. PATENT DOCUMENTS								
2,577,263	A	12/1951	Myers		D383,112	S	*	9/1997 Patterson D12/422
2,639,068	A	5/1953	Luby et al.		D414,741	S	*	10/1999 Bergh D12/407
3,318,471	A	5/1967	Barr		D430,534	S	*	9/2000 Golenz D12/416
3,473,680	A	10/1969	Downer		D451,882	S	*	12/2001 Hassett et al. D12/416
D267,753	S	*	2/1983 Urban D12/422		6,327,993	B1	*	12/2001 Richens, Jr. 114/361
4,671,556	A	6/1987	Lynas, III		D457,852	S	*	5/2002 Richter D12/417
D293,162	S	*	12/1987 Carmichael D12/416		D498,585	S	*	11/2004 Darling D3/216
4,832,242	A	5/1989	Leek		6,821,600	B1		11/2004 Henson
D313,695	S	*	1/1991 Mawhinney et al. D12/422		D515,497	S	*	2/2006 Watson D12/416
D325,016	S		3/1992 Moore		7,000,810	B1	*	2/2006 Farmer 224/404
5,372,289	A	12/1994	Dachicourt		2005/0011922	A1		1/2005 Nolle
D354,728	S	*	1/1995 Shink D12/422		* cited by examiner			

FIG. 1






FIG. 2




FIG. 3






FIG. 7






FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12