



US00D552781S

(12) **United States Design Patent**  
**Kosche et al.**

(10) **Patent No.:** **US D552,781 S**

(45) **Date of Patent:** **\*\* Oct. 9, 2007**

(54) **SPOT LIGHT**

(75) Inventors: **Henk Kosche**, Lüdenscheid (DE); **Alois Dworschak**, Lüdenscheid (DE)

(73) Assignee: **Erco Leuchten GmbH**, Ludenscheid (DE)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/263,463**

(22) Filed: **Jul. 24, 2006**

(30) **Foreign Application Priority Data**

Mar. 3, 2006 (EM) ..... 000488929

(51) **LOC (8) Cl.** ..... **26-05**

(52) **U.S. Cl.** ..... **D26/63**

(58) **Field of Classification Search** ..... D26/61,  
D26/63, 66, 71, 72; 362/269-271, 273, 285,  
362/287, 289, 372, 396, 418, 426, 427, 430,  
362/648, 650

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D104,401 S \* 5/1937 Kanter ..... D26/63  
D231,559 S \* 4/1974 Darling et al. .... D26/63  
4,587,602 A \* 5/1986 Dean et al. .... 362/269  
D293,478 S \* 12/1987 Palone ..... D26/63  
D297,670 S \* 9/1988 Douenias ..... D26/63  
D301,754 S \* 6/1989 DeCandia ..... D26/63  
D316,456 S \* 4/1991 De Candia ..... D26/63

D350,621 S \* 9/1994 Yuen ..... D26/63  
D355,042 S \* 1/1995 Panagiotou ..... D26/63  
D417,519 S \* 12/1999 Cutler ..... D26/63  
D493,243 S \* 7/2004 Burnet ..... D26/63

**OTHER PUBLICATIONS**

Hinkley Coastal Series Square Copper Landscape Floodlight. Found at lampsplus.com on Sep. 1, 2005.\*

W.A.C. MR16 Low Voltage Halogen Track Head. Found at lampsplus.com on Sep. 1, 2005.\*

W.A.C. White Diecast Trackhead for Lightolier Track. Found at lampsplus.com on Sep. 1, 2005.\*

\* cited by examiner

*Primary Examiner*—Clare E Heflin

(74) *Attorney, Agent, or Firm*—Andrew Wilford

(57) **CLAIM**

The ornamental design for a spot light, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of the spot light according to the invention with the lamp head directed straight forward;


FIG. 2 is a right-side view of the spot light with the lamp head directed straight forward;

FIG. 3 is a rear view of the spot light with the lamp head angled upward;

FIG. 4 is a top view of the spot light with the lamp head angled upward; and,

FIG. 5 is a bottom view of the spot light.

**1 Claim, 5 Drawing Sheets**






FIG.1




FIG. 2




FIG. 3




FIG. 4




FIG. 5