



US00D552917S

(12) **United States Design Patent**
Hurlbut et al.

(10) **Patent No.:** **US D552,917 S**

(45) **Date of Patent:** **** Oct. 16, 2007**

(54) **POOLSIDE PITCHER**

(75) Inventors: **Gary Hurlbut**, Seattle, WA (US); **Jody Rieck**, Seattle, WA (US)

(73) Assignee: **Pacific Market International, LLC**, Seattle, WA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/254,493**

(22) Filed: **Feb. 24, 2006**

(51) **LOC (8) Cl.** **07-01**

(52) **U.S. Cl.** **D7/319; D7/306**

(58) **Field of Classification Search** D7/300,
D7/316-319, 321, 311, 302; 99/323.3, 307,
99/285; 215/12.1, 13.1; 222/505, 131, 470,
222/144.5, 566, 567, 25, 23, 188, 472, 465.1;
210/85, 121, 282, 232; D23/209; 220/504,
220/555, 696, 695, 4.01; 62/457.3, 457.2;
206/459.5; 248/111; D10/46.3; D32/53.1,
D32/53

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|-----------|-----|---------|----------------|-------|---------|
| 2,803,375 | A * | 8/1957 | Meshberg | | 206/515 |
| D184,394 | S * | 2/1959 | Du Pree | | D7/317 |
| D191,623 | S * | 10/1961 | Bloch | | D7/318 |
| D192,934 | S * | 5/1962 | Bloch | | D7/318 |
| 3,130,856 | A * | 4/1964 | Gits | | 220/263 |
| D219,056 | S * | 10/1970 | Gibson | | D7/317 |
| 3,817,430 | A * | 6/1974 | Borin | | 222/494 |
| 3,844,450 | A * | 10/1974 | Johnson | | 222/183 |
| 3,861,565 | A * | 1/1975 | Rickmeier, Jr. | | 222/131 |
| D252,068 | S * | 6/1979 | Lovely | | D7/668 |
| D270,602 | S * | 9/1983 | Fritz | | D7/319 |
| D296,973 | S * | 8/1988 | Pozzi | | D7/317 |

| | | | | | |
|-----------|------|---------|------------------|-------|-----------|
| D303,904 | S * | 10/1989 | Wolfenden | | D7/317 |
| D306,547 | S * | 3/1990 | Wolfenden | | D7/317 |
| 4,967,939 | A * | 11/1990 | Taylor | | 222/196 |
| 5,076,922 | A * | 12/1991 | DeAre | | 210/282 |
| D338,367 | S * | 8/1993 | Fonville | | D7/317 |
| 5,407,270 | A * | 4/1995 | Barile et al. | | 366/247 |
| 5,425,579 | A * | 6/1995 | Sampson | | 366/130 |
| 5,487,486 | A * | 1/1996 | Meneo | | 220/504 |
| D377,291 | S * | 1/1997 | Ahern, Jr. | | D7/319 |
| D379,732 | S * | 6/1997 | Jeppesen et al. | | D7/319 |
| D392,149 | S * | 3/1998 | Smith | | D7/307 |
| RE35,933 | E * | 10/1998 | Scholl | | 220/695 |
| D418,013 | S | 12/1999 | Fujii | | |
| D441,247 | S * | 5/2001 | Beam | | D7/305 |
| 6,394,322 | B1 * | 5/2002 | Sekiya et al. | | 222/465.1 |
| D498,638 | S * | 11/2004 | Morrison | | D7/319 |
| D514,868 | S * | 2/2006 | Achenbach et al. | | D7/318 |

* cited by examiner

Primary Examiner—M. N. Pandozzi

(74) *Attorney, Agent, or Firm*—George C. Rondeau, Jr.; Davis Wright Tremaine LLP

(57) **CLAIM**

The ornamental design for a poolside pitcher, as shown and described.

DESCRIPTION

FIG. 1 is a top right perspective view of a poolside pitcher showing our new design;

FIG. 2 is a right side elevation view thereof.

FIG. 3 is a rear elevation view thereof.


FIG. 4 is a left side elevation view thereof.

FIG. 5 is a front elevation view thereof.

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7