

US00D553059S

(12) United States Design Patent (10) Patent No.:

Pfeiffer (45) Date of Patent:

US D553,059 S

5) Date of Patent: ** Oct. 16, 2007

(54) SURFACE CONFIGURATION OF A STEERING WHEEL PADDLE

(75) Inventor: **Peter Pfeiffer**, Boeblingen (DE)

(73) Assignee: **DaimlerChrysler AG**, Stuttgart (DE)

(**) Term: **14 Years**

(21) Appl. No.: 29/231,044

(22) Filed: Jun. 1, 2005

Dec. 2, 2004

(30) Foreign Application Priority Data

(51)	LOC (8) Cl
(52)	U.S. Cl. D12/176
(58)	Field of Classification Search D12/175-177
	D14/218, 299, 137–139, 191–193; D21/512–517,
	D21/566; 74/552, 558, 558.5
	See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D462,039	S	*	8/2002	Larocque	D12/176
D463,337	S	*	9/2002	Boulay et al	D12/176
D475,334	S	*	6/2003	Peng	D12/177
D490,757	S	*	6/2004	Peng	D12/177
6,857,235	B2	*	2/2005	Niday et al	52/301
D521,913	S	*	5/2006	Nakamura et al	D12/176

^{*} cited by examiner

Primary Examiner—Melody N. Brown


(74) Attorney, Agent, or Firm—Crowell & Moring LLP

(57) CLAIM

The ornamental design for a surface configuration of a steering wheel paddle, as shown and described.

DESCRIPTION

- FIG. 1 is a rear perspective view of a first embodiment of a surface configuration of a steering wheel paddle according to my novel design;
- FIG. 2 is a left side view of the first embodiment of the surface configuration of a steering wheel paddle according to my novel design;
- FIG. 3 is a right side view of the first embodiment of the surface configuration of a steering wheel paddle according to my novel design;
- FIG. 4 is a rear view of the first embodiment of the surface configuration of a steering wheel paddle according to my novel design;
- FIG. 5 is a front view of the first embodiment of the surface configuration of a steering wheel paddle according to my novel design;
- FIG. 6 is a front perspective view of the first embodiment of the surface configuration of a steering wheel paddle according to my novel design;
- FIG. 7 is a rear perspective view of a second embodiment of the surface configuration of a steering wheel paddle according to my novel design;
- FIG. 8 is a right side view of the second embodiment of the surface configuration of a steering wheel paddle according to my novel design;
- FIG. 9 is a left side view of the second embodiment of the surface configuration of a steering wheel paddle according to my novel design;



- FIG. 10 is a rear view of the second embodiment of the surface configuration of a steering wheel paddle according to my novel design;
- FIG. 11 is a front view of the second embodiment of the surface configuration of a steering wheel paddle according to my novel design;
- FIG. 12 is a front perspective view of the second embodiment of the surface configuration of a steering wheel paddle according to my novel design;
- FIG. 13 is a rear perspective view of a third embodiment of the surface configuration of a steering wheel paddle according to my novel design;
- FIG. 14 is a left side view of the third embodiment of the surface configuration of a steering wheel paddle according to my novel design;
- FIG. 15 is a right side view of the third embodiment of the surface configuration of a steering wheel paddle according to my novel design;
- FIG. 16 is a rear view of the third embodiment of the surface configuration of a steering wheel paddle according to my novel design;
- FIG. 17 is a front view of the third embodiment of the surface configuration of a steering wheel paddle according to my novel design;
- FIG. 18 is a front perspective view of the third embodiment of the surface configuration of a steering wheel paddle according to my novel design;
- FIG. 19 is a rear perspective view of a fourth embodiment of the surface configuration of a steering wheel paddle according to my novel design;
- FIG. 20 is a right side view of the fourth embodiment of the surface configuration of a steering wheel paddle according to my novel design;

- FIG. 21 is a left side view of the fourth embodiment of the surface configuration of a steering wheel paddle according to my novel design;
- FIG. 22 is a rear view of the fourth embodiment of the surface configuration of a steering wheel paddle according to my novel design;
- FIG. 23 is a front view of the fourth embodiment of the surface configuration of a steering wheel paddle according to my novel design;
- FIG. 24 is a front perspective view of the fourth embodiment of the surface configuration of a steering wheel paddle according to my novel design;
- FIG. 25 is a perspective view from the rear of the first embodiment of the surface configuration of a steering wheel paddle according to my novel design, showing the placement of the paddle on the steering wheel;
- FIG. 26 is a perspective view from the rear of the second embodiment of the surface configuration of a steering wheel paddle according to my novel design, showing the placement of the paddle on the steering wheel;
- FIG. 27 is a perspective view from the rear of the third embodiment of the surface configuration of a steering wheel paddle according to my novel design, showing the placement of the paddle on the steering wheel; and,
- FIG. 28 is a perspective view from the rear of the fourth embodiment of the surface configuration of a steering wheel paddle according to my novel design, showing the placement of the paddle on the steering wheel.

The broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 6 Drawing Sheets

