



US00D553059S

(12) **United States Design Patent**
Pfeiffer

(10) **Patent No.:** **US D553,059 S**

(45) **Date of Patent:** **** Oct. 16, 2007**

(54) **SURFACE CONFIGURATION OF A STEERING WHEEL PADDLE**

(75) Inventor: **Peter Pfeiffer**, Boeblingen (DE)

(73) Assignee: **DaimlerChrysler AG**, Stuttgart (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/231,044**

(22) Filed: **Jun. 1, 2005**

(30) **Foreign Application Priority Data**

Dec. 2, 2004 (DE) 40406780

(51) **LOC (8) Cl.** **12-16**

(52) **U.S. Cl.** **D12/176**

(58) **Field of Classification Search** D12/175-177;
D14/218, 299, 137-139, 191-193; D21/512-517,
D21/566; 74/552, 558, 558.5

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D462,039 S * 8/2002 Larocque D12/176
- D463,337 S * 9/2002 Boulay et al. D12/176
- D475,334 S * 6/2003 Peng D12/177
- D490,757 S * 6/2004 Peng D12/177
- 6,857,235 B2 * 2/2005 Niday et al. 52/301
- D521,913 S * 5/2006 Nakamura et al. D12/176

* cited by examiner

Primary Examiner—Melody N. Brown

(74) *Attorney, Agent, or Firm*—Crowell & Moring LLP

(57) **CLAIM**

The ornamental design for a surface configuration of a steering wheel paddle, as shown and described.

DESCRIPTION

FIG. 1 is a rear perspective view of a first embodiment of a surface configuration of a steering wheel paddle according to my novel design;

FIG. 2 is a left side view of the first embodiment of the surface configuration of a steering wheel paddle according to my novel design;

FIG. 3 is a right side view of the first embodiment of the surface configuration of a steering wheel paddle according to my novel design;

FIG. 4 is a rear view of the first embodiment of the surface configuration of a steering wheel paddle according to my novel design;

FIG. 5 is a front view of the first embodiment of the surface configuration of a steering wheel paddle according to my novel design;

FIG. 6 is a front perspective view of the first embodiment of the surface configuration of a steering wheel paddle according to my novel design;

FIG. 7 is a rear perspective view of a second embodiment of the surface configuration of a steering wheel paddle according to my novel design;

FIG. 8 is a right side view of the second embodiment of the surface configuration of a steering wheel paddle according to my novel design;

FIG. 9 is a left side view of the second embodiment of the surface configuration of a steering wheel paddle according to my novel design;




FIG. 10 is a rear view of the second embodiment of the surface configuration of a steering wheel paddle according to my novel design;

FIG. 11 is a front view of the second embodiment of the surface configuration of a steering wheel paddle according to my novel design;

FIG. 12 is a front perspective view of the second embodiment of the surface configuration of a steering wheel paddle according to my novel design;

FIG. 13 is a rear perspective view of a third embodiment of the surface configuration of a steering wheel paddle according to my novel design;

FIG. 14 is a left side view of the third embodiment of the surface configuration of a steering wheel paddle according to my novel design;

FIG. 15 is a right side view of the third embodiment of the surface configuration of a steering wheel paddle according to my novel design;

FIG. 16 is a rear view of the third embodiment of the surface configuration of a steering wheel paddle according to my novel design;

FIG. 17 is a front view of the third embodiment of the surface configuration of a steering wheel paddle according to my novel design;

FIG. 18 is a front perspective view of the third embodiment of the surface configuration of a steering wheel paddle according to my novel design;

FIG. 19 is a rear perspective view of a fourth embodiment of the surface configuration of a steering wheel paddle according to my novel design;

FIG. 20 is a right side view of the fourth embodiment of the surface configuration of a steering wheel paddle according to my novel design;

FIG. 21 is a left side view of the fourth embodiment of the surface configuration of a steering wheel paddle according to my novel design;

FIG. 22 is a rear view of the fourth embodiment of the surface configuration of a steering wheel paddle according to my novel design;

FIG. 23 is a front view of the fourth embodiment of the surface configuration of a steering wheel paddle according to my novel design;

FIG. 24 is a front perspective view of the fourth embodiment of the surface configuration of a steering wheel paddle according to my novel design;

FIG. 25 is a perspective view from the rear of the first embodiment of the surface configuration of a steering wheel paddle according to my novel design, showing the placement of the paddle on the steering wheel;

FIG. 26 is a perspective view from the rear of the second embodiment of the surface configuration of a steering wheel paddle according to my novel design, showing the placement of the paddle on the steering wheel;

FIG. 27 is a perspective view from the rear of the third embodiment of the surface configuration of a steering wheel paddle according to my novel design, showing the placement of the paddle on the steering wheel; and,

FIG. 28 is a perspective view from the rear of the fourth embodiment of the surface configuration of a steering wheel paddle according to my novel design, showing the placement of the paddle on the steering wheel.

The broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 6 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14



FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 26




FIG. 25




FIG. 28




FIG. 27