

US00D553269S

# (12) United States Design Patent (10) Patent No.:

Pfeiffer et al.

US D553,269 S

(45) **Date of Patent:** \*\* Oct. 16, 2007

### SURFACE CONFIGURATION OF A (54)TAILLIGHT FOR A VEHICLE

Inventors: Peter Pfeiffer, Boeblingen (DE);

Hans-Dieter Futschik, Gechingen (DE); Gorden Wagener, Stuttgart (DE); Holger Hutzenlaub, Boeblingen

(DE)

Assignee: **DaimlerChrysler AG**, Stuttgart (DE)

14 Years Term:

Appl. No.: 29/199,294

Feb. 13, 2004 (22)Filed:

LOC (8) Cl. ..... **26-06** U.S. Cl. ..... D26/28 (52)Field of Classification Search .......... D26/28–36; (58)

362/459–468, 475–478, 485–487 See application file for complete search history.

#### (56)**References Cited**

# U.S. PATENT DOCUMENTS

D477,429 S	*	7/2003	Lin D26/28
D481,477 S	*	10/2003	Horowitz et al D26/28
D483,890 S	*	12/2003	Lin D26/28
D490,170 S	*	5/2004	Metros et al D26/28
D491,299 S	*	6/2004	Simmons et al D26/28
D538,452 S	*	3/2007	Pfeiffer D26/28
D539,450 S	*	3/2007	Pfeiffer D26/28

<sup>\*</sup> cited by examiner

Primary Examiner—Marcus A. Jackson (74) Attorney, Agent, or Firm—Crowell & Moring LLP

#### (57)**CLAIM**

The ornamental design for a surface configuration of a taillight for a vehicle, as shown and described.

# DESCRIPTION

This application is related to the following co-pending application, of the inventors, filed on even date here with: Application Ser. No. 29/199,263, entitled "Surface Configuration of a Vehicle, Toy and/or Other Replicas".

FIG. 1 is a front view of a first embodiment of a surface configuration of a taillight for a vehicle according to our novel design;

FIG. 2 is a side view of the first embodiment of the surface configuration of a taillight for a vehicle according to our novel design;

FIG. 3 is a perspective view of the first embodiment of the surface configuration of a taillight for a vehicle according to our novel design;

FIG. 4 is a front view of a second embodiment of the surface configuration of a taillight for a vehicle according to our novel design;

FIG. 5 is a side view of the second embodiment of the surface configuration of a taillight for a vehicle according to our novel design; and,

FIG. 6 is a perspective view of the second embodiment of the surface configuration of a taillight for a vehicle according to our novel design.

The broken lines are for illustrative purposes only and form no part of the claimed design.

# 1 Claim, 2 Drawing Sheets













