



US00D553280S

(12) **United States Design Patent** (10) **Patent No.:** **US D553,280 S**
Krieger et al. (45) **Date of Patent:** **** Oct. 16, 2007**

(54) **LANTERN WITH SWIVEL HANDLE**

(57) **CLAIM**

(75) Inventors: **Michael Krieger**, Miami Beach, FL
(US); **Kevin Ellsworth**, Hollywood, FL
(US)

The ornamental design for a lantern with swivel handle, as
shown and described.

(73) Assignee: **Vector Products, Inc.**, Plantation, FL
(US)

DESCRIPTION

(**) Term: **14 Years**

(21) Appl. No.: **29/196,995**

(22) Filed: **Jan. 9, 2004**

(51) **LOC (8) Cl.** **26-02**

(52) **U.S. Cl.** **D26/44; D26/46; D26/37**

(58) **Field of Classification Search** D26/37,
D26/38, 41, 44, 46, 48, 50, 51, 52, 63; 362/612,
362/157, 158, 159, 183, 192, 193, 208, 200
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,620,388 A	12/1952	Franz
2,861,174 A	11/1958	Talbot et al.
D187,338 S	3/1960	Chun
D243,272 S	2/1977	Okuno et al.
D284,106 S	6/1986	Drane
D287,292 S	12/1986	Yuen
D300,035 S	2/1989	Yuen
4,977,489 A	12/1990	Fung
D313,665 S	1/1991	Yuen
D329,504 S	9/1992	Yuen
5,217,297 A	6/1993	Yuen

(Continued)

Primary Examiner—Adir Aronovich

Assistant Examiner—Carissa Fitts

(74) *Attorney, Agent, or Firm*—Venable LLP; Robert
Kinberg

FIG. 1 is a perspective view from the front-top-right side of
the lantern with swivel handle showing a first embodiment
of our new design;

FIG. 2 is a front view of the design shown in FIG. 1;

FIG. 3 is a rear view of the design shown in FIG. 1;

FIG. 4 is a left side view of the design shown in FIG. 1;

FIG. 5 is a right side view of the design shown in FIG. 1;

FIG. 6 is a top view of the design shown in FIG. 1;

FIG. 7 is a bottom view of the design shown in FIG. 1;

FIG. 8 is the perspective view shown in FIG. 1 with the
flashlight being in an open position;

FIG. 9 is a perspective view from the front-top-right side of
the lantern with swivel handle showing a second embodi-
ment of our new design;

FIG. 10 is a front view of the design shown in FIG. 9;

FIG. 11 is a rear view of the design shown in FIG. 9;

FIG. 12 is a left side view of the design shown in FIG. 9;

FIG. 13 is a right side view of the design shown in FIG. 9;


FIG. 14 is a top view of the design shown in FIG. 9;

FIG. 15 is a bottom view of the design shown in FIG. 9; and,

FIG. 16 is the perspective view shown in FIG. 9 with the
flashlight being in an open position.

The broken lines form no part of the claimed design.

1 Claim, 16 Drawing Sheets



U.S. PATENT DOCUMENTS					
D337,644 S	7/1993	Stearns et al.	D426,661 S	6/2000	Yuen
D337,840 S	7/1993	Ekeroth	D430,323 S *	8/2000	Yuen D26/46
D338,542 S	8/1993	Yuen	D438,317 S	2/2001	Yuen
D344,152 S	2/1994	Yuen	D447,588 S	9/2001	Zeller
D344,602 S	2/1994	Yuen	D452,022 S	12/2001	Osiecki et al.
D345,810 S	4/1994	Yuen	D459,822 S	7/2002	Poon
D354,364 S	1/1995	Yuen	D469,555 S	1/2003	Hong
D357,086 S	4/1995	Poon	D485,628 S *	1/2004	Yuen D26/37
D368,970 S	4/1996	Yuen	D507,371 S *	7/2005	Heun D26/44
5,521,803 A	5/1996	Eckert et al.	D511,392 S *	11/2005	Krieger et al. D26/44
D403,454 S	12/1998	Zelina et al.	D531,336 S *	10/2006	Yuen D26/46
5,906,426 A	5/1999	Farrington et al.	2003/0039118 A1	2/2003	Osiecki et al.
D418,931 S	1/2000	Poon	2005/0099803 A1 *	5/2005	Krieger 362/183
D426,006 S	5/2000	Yuen	* cited by examiner		




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16