



US00D553307S

(12) **United States Design Patent**  
**Ko**

(10) **Patent No.:** **US D553,307 S**

(45) **Date of Patent:** **\*\* Oct. 16, 2007**

(54) **LEASH HANDLE WITH TORCH, LED  
FLASHLIGHT AND SIREN ALARM**

D392,429 S \* 3/1998 Plewa et al. .... D30/153

D410,117 S \* 5/1999 Ball et al. .... D30/153

6,289,849 B1 \* 9/2001 Macedo et al. .... 119/796

D448,892 S \* 10/2001 Hans ..... D30/153

(75) Inventor: **Chung Ying Kevin Ko**, Hong Kong  
(CN)

(73) Assignee: **Glory Summit Industries Limited**,  
Kowloon (HK)

\* cited by examiner

*Primary Examiner*—M. H. Tung

*Assistant Examiner*—Susan Moon Lee

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/251,699**

(57) **CLAIM**

(22) Filed: **Jan. 12, 2006**

The ornamental design for a leash handle with torch, LED flashlight and siren alarm, as shown.

(51) **LOC (8) Cl.** ..... **30-04**

(52) **U.S. Cl.** ..... **D30/152**

(58) **Field of Classification Search** ..... 119/794–96,  
119/776, 797–98, 51.01, 895, 61.5; D8/95–99,  
D8/300, 305, 303, 313, 318, 107; D30/151–154;  
124/35.2; 24/132 R; 403/373; 7/148; D15/18;  
441/69; 30/151–154, 160, 506–509, 511–14,  
30/517, 522; 242/405.2, 405.3, 580, 377,  
242/381.2; D21/694, 392, 662, 684; 362/109,  
362/103

**DESCRIPTION**

See application file for complete search history.

FIG. 1 is a front elevational view of a leash handle with torch, LED flashlight and siren alarm showing my new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a left side view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a top plan view thereof; and,


FIG. 6 is a bottom plan view thereof.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D379,689 S \* 6/1997 Levine et al. .... D30/153

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6