

US00D553347S

(12) **United States Design Patent** (10) **Patent No.:** **US D553,347 S**
Cooney (45) **Date of Patent:** **** Oct. 23, 2007**

(54) **CONTROLLER**

(76) Inventor: **Gerald A. Cooney**, Drawer 58307,
Houston, TX (US) 77258

(**) Term: **14 Years**

(21) Appl. No.: **29/245,919**

(22) Filed: **Dec. 31, 2005**

(51) **LOC (8) Cl.** **13-03**

(52) **U.S. Cl.** **D3/164**

(58) **Field of Classification Search** D13/110,
D13/119, 123, 133, 147, 152, 154, 159-164,
D13/177, 184; D10/94, 46, 125; 361/690,
361/678, 647, 605; D12/192; 312/100;
307/149, 125, 113; 232/4 R, 1 D; 220/324,
220/3.8; D14/239

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D191,871 S * 12/1961 Maecker D13/110
D298,747 S * 11/1988 Shibayama et al. D13/162.1
D300,428 S * 3/1989 Garmon D14/158
D308,854 S * 6/1990 Fuhrmann et al. D13/184
D338,653 S * 8/1993 Morgan et al. D13/110
D344,715 S * 3/1994 Hsiao et al. D13/159
D355,887 S * 2/1995 Rodeffer et al. D13/110
D379,966 S * 6/1997 Gallagher D13/137.3
D394,842 S * 6/1998 Kellstedt et al. D13/162
D416,873 S * 11/1999 Korsunsky et al. D13/184
D429,225 S * 8/2000 Halliday D13/184
D442,924 S * 5/2001 Dermikaelian et al. D13/184
D450,295 S * 11/2001 Okayama et al. D13/110

D466,095 S * 11/2002 Poulter et al. D13/184
D482,008 S * 11/2003 Petronio D13/184
D500,746 S * 1/2005 Gavel et al. D13/184
D508,027 S * 8/2005 Shingt D13/184
D525,586 S * 7/2006 Blake D13/123
D526,616 S * 8/2006 Nakashima et al. D13/133
D530,287 S * 10/2006 Stolpe et al. D13/162
D533,512 S * 12/2006 Nakashima et al. D13/164
D537,410 S * 2/2007 Yuen D13/110
D537,417 S * 2/2007 Dukerschein et al. D13/164

* cited by examiner

Primary Examiner—Selina Sikder

Assistant Examiner—Thomas Johannes

(74) *Attorney, Agent, or Firm*—Kenneth A. Roddy

(57) **CLAIM**

The ornamental design for a controller, as shown and described.

DESCRIPTION



FIG. 1 is a perspective view of a first embodiment of a controller, showing my new design from the top, front and side;

FIG. 2 is a perspective view thereof as seen from the bottom, rear and side opposite of the side shown in FIG. 1;

FIG. 3 is a perspective view of a second embodiment of a controller, showing my new design from the top, front and side; and,

FIG. 4 is a perspective view thereof as seen from the bottom, rear and side opposite of the side shown in FIG. 3.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4