



US00D553405S

(12) **United States Design Patent** (10) **Patent No.:** **US D553,405 S**
Soller et al. (45) **Date of Patent:** **** Oct. 23, 2007**

(54) **SHOWER CADDY BASE**
(75) Inventors: **Douglas A. Soller**, Racine, WI (US);
Terrance M. Parve, Menomonee Falls,
WI (US); **Cathal L. Fahy**, Racine, WI
(US); **Peter M. Neumann**, Racine, WI
(US)
(73) Assignee: **S. C. Johnson & Son, Inc.**, Racine, WI
(US)

(**) Term: **14 Years**
(21) Appl. No.: **29/250,104**
(22) Filed: **Nov. 2, 2006**

(51) **LOC (8) Cl.** **06-02**
(52) **U.S. Cl.** **D6/525; D6/562**
(58) **Field of Classification Search** D6/524,
D6/525, 562; 108/59; 211/13.1, 86.01, 87.01,
211/88.01, 126.1, 106, 134, 126.9, 153, 182
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,789,996	A	2/1974	Stroh	
D274,201	S *	6/1984	Aaron	D6/525
4,541,131	A	9/1985	Sussman	
5,044,522	A	9/1991	Roig et al.	
5,255,401	A	10/1993	Sambrookes et al.	
D351,751	S *	10/1994	Brightbill et al.	D6/525
D381,229	S	7/1997	Yemini	
D382,751	S *	8/1997	Andrus	D6/525
5,862,544	A	1/1999	Placencia	
5,890,605	A	4/1999	Percudani	
D414,362	S	9/1999	Olmos	
D416,728	S	11/1999	Kelso et al.	
D419,020	S *	1/2000	Emery et al.	D6/562
D444,017	S *	6/2001	Walker	D6/562
D451,743	S *	12/2001	Henderson et al.	D6/562

6,463,600	B1	10/2002	Conway et al.	
D475,562	S *	6/2003	Suero, Jr.	D6/525
D482,555	S	11/2003	Johansson et al.	
6,688,238	B1 *	2/2004	Alexiou	D6/525
6,742,199	B2	6/2004	Conway et al.	
D496,549	S *	9/2004	Snell	D6/525
6,820,821	B2	11/2004	Linstedt et al.	
7,021,494	B2	4/2006	Mazooji et al.	
D543,748	S *	6/2007	Harwanko	D6/525

OTHER PUBLICATIONS

A sketch of a shower caddy, undated, (2 pages).

* cited by examiner

Primary Examiner—Brian N Vinson

(57) **CLAIM**

The ornamental design for a shower caddy base, as shown and described.

DESCRIPTION

In a preferred embodiment the nature of this product is a lower section of a shower caddy that can be used to support items from a showerhead when assembled to a hanger.

FIG. 1 is a front elevational view of our new design;

FIG. 2 is a right, bottom, frontal perspective view thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a top plan view of thereof;

FIG. 5 is a right side elevational view thereof, the left side elevational view thereof being the mirror image thereof; and,

FIG. 6 is a rear elevational view thereof.

The broken line representation of support ribs in FIGS. 2 & 3, molding gate marks and pin marks in FIGS. 3 and 4, and cup bottom supports in FIGS. 2-4, are for purposes of illustration only, and form no part of the claim.

1 Claim, 4 Drawing Sheets





FIG. 1






FIG. 2




FIG. 3




FIG. 4

FIG. 5





FIG. 6