



US00D553464S

(12) **United States Design Patent** (10) **Patent No.:** **US D553,464 S**  
**Rinner** (45) **Date of Patent:** **\*\* Oct. 23, 2007**

(54) **SCREWDRIVER HANDLE**  
(75) Inventor: **James A. Rinner**, Franksville, WI (US)  
(73) Assignee: **Loukas Medical Inc.**, Franksville, WI (US)  
(\*\*) Term: **14 Years**  
(21) Appl. No.: **29/243,847**  
(22) Filed: **Dec. 2, 2005**

(51) **LOC (8) Cl.** ..... **08-04**  
(52) **U.S. Cl.** ..... **D8/83**  
(58) **Field of Classification Search** ..... D8/82,  
D8/83, 84, 85, 86, 87, 107, 303; D7/395;  
16/422; 81/177.1, 488, 489, 436, 437, 438  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,049,650 A	1/1913	Benjamin	
D44,573 S	8/1913	Leopold	
1,711,062 A	4/1929	Purinton	
D142,267 S	8/1945	Walraven	
2,625,971 A	1/1953	Bier	
2,809,846 A	10/1957	Whiteford	
2,997,148 A	8/1961	Linsley	
3,026,920 A	3/1962	York	
3,173,462 A	3/1965	Koeppel	
D201,171 S	5/1965	Knudsen	
3,463,209 A	8/1969	Podolsky	
D253,030 S *	10/1979	Breger	D8/83
D256,547 S	8/1980	Holland-Letz	
D256,882 S	9/1980	Jansson	
D261,980 S	11/1981	Fee	
4,739,536 A	4/1988	Banders	
D307,236 S	4/1990	Cascio	
D309,246 S	7/1990	Cascio	
5,003,850 A	4/1991	Harkins	
D323,449 S	1/1992	Corona	
D360,344 S	7/1995	Eggert	
D375,669 S	11/1996	Shiao	
D378,186 S *	2/1997	Braun	D8/83
D379,750 S	6/1997	Thompson	
D383,660 S *	9/1997	Anderson	D8/83
D384,263 S *	9/1997	Lin	D8/83
D398,508 S	9/1998	Thompson	

D414,095 S	9/1999	Hoepfl	
D414,096 S	9/1999	Chapin	
D415,005 S *	10/1999	Chen	D8/83
6,170,123 B1	1/2001	Holland-Letz	
D452,423 S *	12/2001	Shimansky	D8/83
D468,182 S	1/2003	Thompson	
D487,690 S *	3/2004	Hu	D8/83
D513,378 S *	1/2006	Lin	D8/83

\* cited by examiner

*Primary Examiner*—Philip S. Hyder  
(74) *Attorney, Agent, or Firm*—Arthur J. Hansmann

(57) **CLAIM**

The ornamental design for a screwdriver handle, as shown and described.

**DESCRIPTION**

FIG. 1 is a side perspective view of one embodiment of a handle showing my new design;  
FIG. 2 is a top plan view thereof, the bottom view being identical thereto;  
FIG. 3 is a right side elevation view, the left side elevation view being a mirror image thereof;  
FIG. 4 is a rear elevation view thereof;  
FIG. 5 is a front elevation view thereof;  
FIGS. 6 and 7 are section views taken respectively on the lines 6—6 and 7—7 of FIG. 3.  
FIG. 8 is a side perspective view of another embodiment of a handle showing my new design;  
FIG. 9 is a top plan view thereof, the bottom view being identical thereto;  
FIG. 10 is a right side elevation view, the left side elevation view being a mirror image thereof;  
FIG. 11 is a rear elevation view thereof seen in FIG. 10;  
FIG. 12 is a front elevation view thereof seen in FIG. 10; and,  
FIGS. 13 and 14 are section views taken respectively on the lines 13—13 and 14—14 of FIG. 10.

**1 Claim, 2 Drawing Sheets**




Fig. 2




Fig. 5




Fig. 3




Fig. 4




Fig. 1




Fig. 6





Fig. 7








Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 8




Fig. 13




Fig. 14