



US00D553464S

(12) **United States Design Patent**
Rinner

(10) **Patent No.:** **US D553,464 S**

(45) **Date of Patent:** **** Oct. 23, 2007**

- (54) **SCREWDRIVER HANDLE**
- (75) Inventor: **James A. Rinner**, Franksville, WI (US)
- (73) Assignee: **Loukas Medical Inc.**, Franksville, WI (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/243,847**
- (22) Filed: **Dec. 2, 2005**
- (51) **LOC (8) Cl.** **08-04**
- (52) **U.S. Cl.** **D8/83**
- (58) **Field of Classification Search** D8/82, D8/83, 84, 85, 86, 87, 107, 303; D7/395; 16/422; 81/177.1, 488, 489, 436, 437, 438
See application file for complete search history.

- D414,095 S 9/1999 Hoepfl
- D414,096 S 9/1999 Chapin
- D415,005 S * 10/1999 Chen D8/83
- 6,170,123 B1 1/2001 Holland-Letz
- D452,423 S * 12/2001 Shimansky D8/83
- D468,182 S 1/2003 Thompson
- D487,690 S * 3/2004 Hu D8/83
- D513,378 S * 1/2006 Lin D8/83

* cited by examiner

Primary Examiner—Philip S. Hyder
(74) *Attorney, Agent, or Firm*—Arthur J. Hansmann

(57) **CLAIM**

The ornamental design for a screwdriver handle, as shown and described.

(56) **References Cited**
U.S. PATENT DOCUMENTS

1,049,650 A	1/1913	Benjamin	
D44,573 S	8/1913	Leopold	
1,711,062 A	4/1929	Purinton	
D142,267 S	8/1945	Walraven	
2,625,971 A	1/1953	Bier	
2,809,846 A	10/1957	Whiteford	
2,997,148 A	8/1961	Linsley	
3,026,920 A	3/1962	York	
3,173,462 A	3/1965	Koeppel	
D201,171 S	5/1965	Knudsen	
3,463,209 A	8/1969	Podolsky	
D253,030 S *	10/1979	Breger	D8/83
D256,547 S	8/1980	Holland-Letz	
D256,882 S	9/1980	Jansson	
D261,980 S	11/1981	Fee	
4,739,536 A	4/1988	Banders	
D307,236 S	4/1990	Cascio	
D309,246 S	7/1990	Cascio	
5,003,850 A	4/1991	Harkins	
D323,449 S	1/1992	Corona	
D360,344 S	7/1995	Eggert	
D375,669 S	11/1996	Shiao	
D378,186 S *	2/1997	Braun	D8/83
D379,750 S	6/1997	Thompson	
D383,660 S *	9/1997	Anderson	D8/83
D384,263 S *	9/1997	Lin	D8/83
D398,508 S	9/1998	Thompson	

DESCRIPTION

FIG. 1 is a side perspective view of one embodiment of a handle showing my new design;

FIG. 2 is a top plan view thereof, the bottom view being identical thereto;

FIG. 3 is a right side elevation view, the left side elevation view being a mirror image thereof;

FIG. 4 is a rear elevation view thereof;

FIG. 5 is a front elevation view thereof;

FIGS. 6 and 7 are section views taken respectively on the lines 6—6 and 7—7 of FIG. 3.

FIG. 8 is a side perspective view of another embodiment of a handle showing my new design;

FIG. 9 is a top plan view thereof, the bottom view being identical thereto;

FIG. 10 is a right side elevation view, the left side elevation view being a mirror image thereof;

FIG. 11 is a rear elevation view thereof seen in FIG. 10;

FIG. 12 is a front elevation view thereof seen in FIG. 10; and,

FIGS. 13 and 14 are section views taken respectively on the lines 13—13 and 14—14 of FIG. 10.

1 Claim, 2 Drawing Sheets




Fig. 2




Fig. 5




Fig. 3




Fig. 4




Fig. 1




Fig. 6





Fig. 7






Fig. 9




Fig. 10

Fig. 12




Fig. 11





Fig. 13




Fig. 8




Fig. 14