



US00D553528S

(12) **United States Design Patent**
Ueda et al.

(10) **Patent No.:** **US D553,528 S**

(45) **Date of Patent:** **** Oct. 23, 2007**

(54) **SPEEDOMETER FOR A BICYCLE**

(75) Inventors: **Takashi Ueda**, Izumi (JP); **Toshiyuki Nagano**, Izumisano (JP); **Yoji Okuda**, Tondabayashi (JP)

(73) Assignee: **Cateye Co., Ltd.**, Osaka (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/256,107**

(22) Filed: **Mar. 16, 2006**

(30) **Foreign Application Priority Data**

Sep. 27, 2005 (JP) 2005-027856

(51) **LOC (8) Cl.** **10-04**

(52) **U.S. Cl.** **D10/98**

(58) **Field of Classification Search** D10/98;
73/490, 493, 514.39, 527; 235/95 R; 324/160-180,
324/207.13, 207.22, 207.25; 340/432; 702/145-148
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D522,394 S * 6/2006 Okuda et al. D10/98

* cited by examiner

Primary Examiner—Antoine D. Davis

(74) *Attorney, Agent, or Firm*—Olson & Hierl, Ltd.

(57) **CLAIM**

The ornamental design for a speedometer for a bicycle, as shown.

DESCRIPTION

FIG. 1 is a perspective view of a speedometer for a bicycle showing our new design;

FIG. 2 is a front view thereof;


FIG. 3 is a rear view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof; and,

FIG. 6 is a right side view thereof.

1 Claim, 4 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6