

US00D553545S

(12) **United States Design Patent** (10) **Patent No.:** **US D553,545 S**
Nygren (45) **Date of Patent:** **** Oct. 23, 2007**

(54) **SHOCK ABSORBER**

(75) Inventor: **Nils Göran Nygren**, Huddinge (SE)

(73) Assignee: **Ohlins Racing AB**, Upplands Vasby (SE)

(**) Term: **14 Years**

(21) Appl. No.: **29/248,303**

(22) Filed: **Aug. 8, 2006**

(30) **Foreign Application Priority Data**

Feb. 8, 2006 (EM) 000476072-0001

(51) **LOC (8) Cl.** **12-16**

(52) **U.S. Cl.** **D12/159**

(58) **Field of Classification Search** D12/159-160;
D21/424, 433, 533, 548, 552; 280/25, 47.15,
280/47.22, 65, 79, 787, 124.164, 124.179,
280/172, 184

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D200,572 S * 3/1965 Gordon D12/159
D230,723 S * 3/1974 Cowan D12/159
D231,221 S * 4/1974 Farrell D12/159
D233,743 S * 11/1974 Hobbins D12/159
D239,377 S * 3/1976 Castelli D12/159

D346,780 S * 5/1994 Homme D12/159
D346,781 S * 5/1994 Homme D12/159
D357,951 S * 5/1995 Chen D21/694
D435,236 S * 12/2000 Hanlon et al. D12/159
6,877,754 B2 * 4/2005 Kim 280/124.109

* cited by examiner

Primary Examiner—Doris Clark

Assistant Examiner—Michael A. Pratt

(74) *Attorney, Agent, or Firm*—Knobbe, Martens, Olson & Bear, LLP

(57) **CLAIM**

The ornamental design for a shock absorber, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a shock absorber showing my new design;

FIG. 2 is a rear view of the shock absorber of FIG. 1;

FIG. 3 is a right side view of the shock absorber of FIG. 1;


FIG. 4 is a bottom view of the shock absorber of FIG. 1;

FIG. 5 is a top view of the shock absorber of FIG. 1;

FIG. 6 is a bottom perspective view of the shock absorber of FIG. 1; and,

FIG. 7 is a top perspective view of the shock absorber of FIG. 1.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7