



US00D553830S

(12) **United States Design Patent**
Landers

(10) **Patent No.:** **US D553,830 S**

(45) **Date of Patent:** **** Oct. 30, 2007**

(54) **VISORED CAP WITH TELESCOPING CROWN**

(75) Inventor: **Luke Landers**, Claremont, CA (US)

(73) Assignee: **Chaskee USA, Inc.**, Claremont, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/265,617**

(22) Filed: **Sep. 5, 2006**

(51) **LOC (8) Cl.** **02-03**

(52) **U.S. Cl.** **D2/882**

(58) **Field of Classification Search** D2/865,
D2/866, 867, 868, 869, 870, 872, 873, 874,
D2/876, 877, 878, 879, 880, 881, 882, 883,
D2/884, 893; 2/10, 12, 171, 171.1, 172,
2/173, 195.1, 195.3, 195.6, 200.1, 202, 203,
2/205, 209.3, 209.11, 209.12, 209.13, 209.5,
2/209.7, 909; 156/61; 428/11

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D90,101 S * 6/1933 Campbell D2/882
D155,914 S * 11/1949 Lish D2/875

(Continued)

FOREIGN PATENT DOCUMENTS

WO DM/056254 * 5/2001

OTHER PUBLICATIONS

Web-archived "News" page of www.chaskee.com, dated May 29, 2004, referencing the Snap Cap along with five other cap styles. (no picture available).*

Pictures of several versions of the Snap Cap (with and without visors), as shown on www.chaskee.com, ©2004-2006 (3 pages).*

Primary Examiner—Elizabeth A. Albert

Assistant Examiner—Karen E Eldridge Powers

(74) *Attorney, Agent, or Firm*—Notaro & Michalos P.C.

(57) **CLAIM**

The ornamental design for a visored cap with telescoping crown, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a visored cap with telescoping crown, showing my new design in an unfastened, unexpanded configuration;

FIG. 2 is a front perspective view of the invention in a fully expanded, fastened configuration;

FIG. 3 is a right side elevation view of the invention, in a fastened, unexpanded configuration, the opposite, side elevation view being a mirror image thereof;

FIG. 4 is a right side elevation view thereof, showing the invention partially expanded, the opposite, side elevation view being a mirror image thereof;

FIG. 5 is a right side elevation view thereof, showing the invention fully expanded, the opposite, side elevation view being a mirror image thereof;

FIG. 6 is a front elevation view of FIG. 3;

FIG. 7 is a front elevation view of FIG. 4;

FIG. 8 is a front elevation of view FIG. 5;

FIG. 9 is a rear elevation view of FIG. 3;

FIG. 10 is a rear elevation view of FIG. 4;


FIG. 11 is a rear elevation view of FIG. 5; and,

FIG. 12 is a rear perspective view of the invention as shown in FIG. 1.

The crosshatched pattern, although shown intermittently, is meant to represent fabric and is understood to be distributed uniformly over the surfaces of the claimed design, the visor excepted.

The broken line showing the straps/ties is indicated for ease of illustration and forms no part of the claimed design.

1 Claim, 5 Drawing Sheets



US D553,830 S

Page 2

U.S. PATENT DOCUMENTS

| | | | | | | | | | |
|-----------|-----|---------|-------------------|-------|--------------|------|---------|----------------------|---------|
| 3,026,525 | A * | 3/1962 | Gyorfy | 2/8.1 | 4,827,537 | A * | 5/1989 | Villa | 2/410 |
| 3,514,787 | A * | 6/1970 | Kennedy, Jr. | 2/410 | D341,905 | S * | 11/1993 | Marshall et al. | D28/19 |
| 3,991,422 | A * | 11/1976 | Saotome | 2/410 | 5,628,071 | A * | 5/1997 | Nezer | 2/410 |
| 4,607,397 | A * | 8/1986 | Laxo | 2/410 | 2006/0053527 | A1 * | 3/2006 | Schneider | 2/171.1 |

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12