



US00D553913S

(12) **United States Design Patent**
Jackson

(10) **Patent No.:** **US D553,913 S**

(45) **Date of Patent:** **** Oct. 30, 2007**

(54) **BOWL**

(75) Inventor: **Daniel C. Jackson**, Wexford, PA (US)

(73) Assignee: **H.J. Heinz Company**, Pittsburgh, PA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/241,216**

(22) Filed: **Oct. 26, 2005**

(51) **LOC (8) Cl.** **07-02**

(52) **U.S. Cl.** **D7/587**

(58) **Field of Classification Search** D7/542,
D7/545, 550.1, 555, 552.1, 553.1, 553.6,
D7/554.2, 565, 584, 586, 300, 587, 543, 601,
D7/602, 354, 356, 360, 376, 380, 553.2, 647,
D7/553.7, 544, 538, 566, 646, 553.8, 554.1,
D7/557, 560, 701, 707; 220/904, 23.83,
220/574, 212, 657, 659, 755, 771, 573.1,
220/573.4, 573.5; D24/224, 227, 231, 232
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

143,334	A *	9/1873	Curis	211/77
414,413	A *	11/1889	Holcomb	220/573.1
1,411,128	A	3/1922	Strohart	
1,567,234	A	12/1925	Brucker	
1,687,846	A	10/1928	Nelson	
1,966,497	A	7/1934	Gamber	
2,033,574	A *	3/1936	Henderson	99/432
2,226,155	A *	12/1940	Ingvard	220/573.1
2,246,695	A	6/1941	Phillips	
2,327,988	A	8/1943	Bassett	
2,430,566	A	11/1947	Harriss	
2,570,524	A	10/1951	Clough	
3,221,692	A	12/1965	Seiferth et al.	
3,647,218	A	3/1972	Foley et al.	
3,770,115	A	11/1973	Cannell	
4,184,421	A	1/1980	Ahlgren	

D276,114	S *	10/1984	Conti et al.	D7/584
D372,840	S *	8/1996	Cousins	D7/541
5,843,501	A	12/1998	Rubin et al.	
5,845,805	A *	12/1998	Ragland	220/573.3

(Continued)

OTHER PUBLICATIONS

VIKO The Popular Aluminum 1928, p. 23, Layer Cake Pan with Loose Bottom, bottom left corner of page.*

Primary Examiner—Charles A. Rademaker

Assistant Examiner—Charles D Hanson

(74) *Attorney, Agent, or Firm*—Buchanan Ingersoll & Rooney PC

(57) **CLAIM**

The ornamental design for a bowl, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a bowl showing my new design.

FIG. 2 is a top view thereof.

FIG. 3 is a bottom view thereof.

FIG. 4 is a side elevational view thereof, the other sides being mirror images thereof.

FIG. 5 is a side elevational view thereof, partially broken away for clarity.

FIG. 6 is a perspective view of the design shown in FIGS. 1 through 5 with a removable insert;

FIG. 7 is a perspective view thereof in an assembled state.


FIG. 8 is a top view thereof.

FIG. 9 is a bottom view thereof.

FIG. 10 is a side elevational view thereof, the other sides being mirror images thereof; and,

FIG. 11 is a side elevational view thereof, partially broken away for clarity.

1 Claim, 9 Drawing Sheets



US D553,913 S

Page 2

U.S. PATENT DOCUMENTS

				7,150,279	B2 *	12/2006	Cheng et al.	126/390.1
D417,847	S	12/1999	Rush et al.	2002/0182295	A1	12/2002	Solomon		
D479,806	S *	9/2003	Nilsson	2005/0017013	A1	1/2005	Peisach et al.		
			D10/46.2						
6,840,396	B2 *	1/2005	Wuestman						
			220/592.28						

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11