



US00D553925S

(12) **United States Design Patent** (10) **Patent No.:** **US D553,925 S**
Axinte et al. (45) **Date of Patent:** **** Oct. 30, 2007**

(54) **SOLDERING IRON**

(75) Inventors: **Dragos Axinte**, Bellevue, WA (US);
Grigore Axinte, Kent, WA (US);
Russell Borgmann, Bellevue, WA (US)

(73) Assignee: **Hyperion Innovations, Inc.**, Bellevue,
WA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/255,596**

(22) Filed: **Mar. 10, 2006**

Related U.S. Application Data

(63) Continuation of application No. 29/212,408, filed on
Aug. 31, 2004, now Pat. No. Des. 516,884.

(51) **LOC (8) Cl.** **08-05**

(52) **U.S. Cl.** **D8/30**

(58) **Field of Classification Search** D8/30,
D8/29.1, 29.2; 219/227, 228, 229, 235, 236,
219/238

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,435,635 A * 3/1984 Parker 219/227

(Continued)

OTHER PUBLICATIONS

ColdHeat soldering iron Found on Seen on TV Canada websight.*

Primary Examiner—Philip S. Hyder

(74) *Attorney, Agent, or Firm*—Perkins Coie, LLP

(57) **CLAIM**

The ornamental design for a soldering iron, as shown and
described.

DESCRIPTION

FIG. 1 is a top perspective view of a soldering iron;

FIG. 2 is a side elevation view of the soldering iron of FIG.
1, the side elevational view taken from the side opposite that
of FIG. 2 being identical.

FIG. 3 is a rear elevational view of the soldering iron of FIG.
1;

FIG. 4 is a front elevational view of the soldering iron of
FIG. 1;

FIG. 5 is a top view of the soldering iron of FIG. 1;

FIG. 6 is a bottom view of the soldering iron of FIG. 1;

FIG. 7 is a top perspective view of a soldering iron;

FIG. 8 is a side elevation view of the soldering iron of FIG.
7, the side elevational view taken from the side opposite that
of FIG. 8 being identical.

FIG. 9 is a rear elevational view of the soldering iron of FIG.
7;

FIG. 10 is a front elevational view of the soldering iron of
FIG. 7;

FIG. 11 is a top view of the soldering iron of FIG. 7;

FIG. 12 is a bottom view of the soldering iron of FIG. 7;

FIG. 13 is a top perspective view of a soldering iron;

FIG. 14 is a side elevation view of the soldering iron of FIG.
13, the side elevational view taken from the side opposite
that of FIG. 14 being identical.

FIG. 15 is a rear elevational view of the soldering iron of
FIG. 13;


FIG. 16 is a front elevational view of the soldering iron of
FIG. 13;

FIG. 17 is a top view of the soldering iron of FIG. 13; and,

FIG. 18 is a bottom view of the soldering iron of FIG. 13.

The broken line portions of the drawings are included for the
purpose of illustrating unclaimed structure and form no part
of the claimed design.

1 Claim, 3 Drawing Sheets



US D553,925 S

Page 2

U.S. PATENT DOCUMENTS				
D295,943	S	*	5/1988	Borley D8/30
D300,200	S	*	3/1989	Arehart D8/30
D301,011	S	*	5/1989	Gardner D8/30
D330,998	S	*	11/1992	Watmore et al. D8/30
D330,999	S	*	11/1992	Watmore et al. D8/30
D334,695	S	*	4/1993	Watmore et al. D8/30
5,928,536	A	*	7/1999	Lee 219/229
D442,447	S	*	5/2001	Fujiwara D8/30
				* cited by examiner




Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.




Fig. 5.




Fig. 6.




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18