



US00D554068S

(12) **United States Design Patent** (10) **Patent No.:** **US D554,068 S**
Fasce et al. (45) **Date of Patent:** **** Oct. 30, 2007**

(54) **CAP FOR AN ELECTRICAL CONNECTOR**

FOREIGN PATENT DOCUMENTS

(75) Inventors: **Xavier Fasce**, Verchaix (FR); **Jerome A. Pratt**, Georgetown, TX (US)

EP	0 073 740 B1	6/1985
EP	0 271 413 B1	5/1992
FR	2 730 096 A1	8/1996
GB	2 129 628 A	5/1984
GB	2 149 231 A	6/1985
WO	WO 99/04454	1/1999
WO	WO 99/04455	1/1999

(73) Assignee: **3M Innovative Properties Company**, St. Paul, MN (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/213,197**

OTHER PUBLICATIONS

(22) Filed: **Sep. 15, 2004**

Technical Report, "3M 4500 Modular Terminating System", Oct. 1993.

(51) **LOC (8) Cl.** **13-03**

(Continued)

(52) **U.S. Cl.** **D13/154; D13/149**

(58) **Field of Classification Search** D13/133, D13/149, 154, 156, 184, 199; 439/155, 157, 439/160, 304, 310, 352, 357-358, 372, 409, 439/417, 595, 597, 680

Primary Examiner—Daniel Bui

(74) *Attorney, Agent, or Firm*—Janet A. Kling; John A. Burtis

See application file for complete search history.

(57) **CLAIM**

(56) **References Cited**

The ornamental design for a cap for an electrical connector, as shown and described.

U.S. PATENT DOCUMENTS

DESCRIPTION

3,575,685 A *	4/1971	Gley	439/157
3,617,983 A	11/1971	Patton		
4,508,411 A	4/1985	Hughes et al.		
4,541,679 A	9/1985	Fiedler et al.		
4,995,829 A	2/1991	Geib et al.		
D327,869 S *	7/1992	Nagasaka et al.	D13/133
5,427,539 A *	6/1995	Saito	439/157
5,435,747 A	7/1995	Franckx et al.		
5,762,518 A	6/1998	Tanigawa et al.		
5,785,548 A	7/1998	Capper et al.		
5,797,759 A	8/1998	Mattis et al.		
5,836,791 A	11/1998	Waas et al.		
6,015,312 A	1/2000	Escane		
D426,811 S *	6/2000	White et al.	D13/147
6,089,902 A	7/2000	Daoud		
6,099,343 A	8/2000	Bonvallat et al.		
6,152,760 A	11/2000	Reeser		

FIG. 1 is an isometric view showing our new design for a cap for an electrical connector;

FIG. 2 is a leftside elevational view thereof the right side view being a mirror image thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;


FIG. 5 is a rear elevational view thereof; and,

FIG. 6 is a front elevational view thereof.

The broken line showing of the environment is for illustrative purposes only and forms no part of the claimed design. The dash-dot line represents the boundary of the claimed design.

(Continued)

1 Claim, 2 Drawing Sheets



U.S. PATENT DOCUMENTS

6,159,036 A 12/2000 Daoud
6,193,532 B1 * 2/2001 Smithson 439/157
6,193,556 B1 2/2001 Escane
6,222,717 B1 4/2001 Waas et al.
6,254,421 B1 7/2001 Denovich et al.
6,406,324 B1 6/2002 Duesterhoeft et al.
D473,849 S * 4/2003 Yeh D13/147
6,811,430 B1 11/2004 Carrico et al.
6,893,280 B2 5/2005 Thompson et al.
7,029,297 B1 * 4/2006 Co et al. 439/152
7,223,117 B2 * 5/2007 Pratt 439/409
2003/0049961 A1 3/2003 Tricaud et al.
2003/0143886 A1 * 7/2003 Nemoto 439/352
2005/0202710 A1 * 9/2005 Shimirak 439/409
2006/0057884 A1 * 3/2006 Fasce et al. 439/409
2006/0160404 A1 * 7/2006 Alarcon et al. 439/409

OTHER PUBLICATIONS

U.S. Appl. No. 10/941,441; Xavier Fasce et al, filed Sep. 15, 2004, entitled "Connector Assembly for Housing Insulation Displacement Elements".
U.S. Appl. No. 10/941,506; Xavier Fasce et al, filed Sep. 15, 2004, entitled "Insulation Displacement System for Two Electrical Conductors".
U.S. Appl. No. 11/131,639, Dower et al, filed May 18, 2005, entitled Electrical Connector Assembly and Method of Forming the Same.
U.S. Appl. No. 11/131,874, Hills et al, filed May 18, 2005, entitled "Frame Assembly".
U.S. Appl. No. 11/170,956, Pratt, filed Jun. 30, 2005, entitled Apparatus Configured to Attach to an Electrical Connector Block.
U.S. Appl. No. 11/196,229, Pratt, filed Aug. 3, 2005, entitled "Circuit Marker Apparatus".

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6