



US00D554193S

(12) **United States Design Patent**
Palmeri et al.

(10) **Patent No.:** **US D554,193 S**

(45) **Date of Patent:** **** Oct. 30, 2007**

(54) **FLYING DISC TARGET AND SIMULATED GOLF HOLE RECEPTACLE**

6,948,713 B1 * 9/2005 Grunfeld 273/400

(76) Inventors: **Jim Palmeri**, 180 Norman Rd., Rochester, NY (US) 14623; **Frank J. Logosh, Jr.**, 45 Crestview Dr., Pittsford, NY (US) 14534

OTHER PUBLICATIONS
SPORTIME® Fall 2003 Catalog: 1) p. 193: Posi-Shot™ basketball; 2) p. 257: Soccette™ Short Goal.*

(**) Term: **14 Years**

* cited by examiner

(21) Appl. No.: **29/248,207**

Primary Examiner—Catherine Tuttle
(74) *Attorney, Agent, or Firm*—Patent Technologies, LLC; Robert D. Gunderman, Jr.

(22) Filed: **Aug. 2, 2006**

(51) **LOC (8) Cl.** **21-01**

(52) **U.S. Cl.** **D21/305; D21/705**

(58) **Field of Classification Search** D21/301–303, D21/305, 790, 698–705; 273/317–412; 473/415–504, 473/173–197

See application file for complete search history.

(57) **CLAIM**

The ornamental design for a flying disc target and simulated golf hole receptacle, as shown and described.

(56) **References Cited**

DESCRIPTION

U.S. PATENT DOCUMENTS

532,132	A *	1/1895	Zaremba	273/400
721,072	A *	2/1903	Nicholas	273/317.1
D110,225	S *	6/1938	Schutt	D21/702
2,301,265	A *	11/1942	Fandrey	273/400
3,602,505	A *	8/1971	Friend	473/470
4,039,189	A	8/1977	Headrick et al.		
4,461,484	A	7/1984	Headrick		
4,792,143	A	12/1988	Headrick		
5,810,679	A *	9/1998	Yoakum	473/472
5,868,395	A	2/1999	Headrick		
6,494,455	B1	12/2002	Headrick		
6,554,285	B2	4/2003	Chittenden		
D489,769	S *	5/2004	Holgate	D21/302
6,808,176	B2 *	10/2004	Billig et al.	273/400
6,834,858	B1	12/2004	Reineke		

FIG. 1 is a front perspective view of a first embodiment of the flying disc target and simulated golf hole receptacle showing the new design;

FIG. 2 is a front elevational view seen from midway between the 5 and 6 o'clock positions in FIG. 4;

FIG. 3 is an elevational view rotated to the 3 o'clock position in FIG. 4;

FIG. 4 is a top plan view thereof;


FIG. 5 is a bottom plan view thereof;

FIG. 6 is a top perspective view thereof; and,

FIG. 7 is a front perspective view of a second embodiment of the design wherein the modification resides in the removal of the support legs.

Any broken line illustration of environmental structure in the drawings is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 7 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7