



US00D554361S

(12) **United States Design Patent**  
**Bates et al.**

(10) **Patent No.:** **US D554,361 S**

(45) **Date of Patent:** **\*\* Nov. 6, 2007**

(54) **FOB**

(75) Inventors: **Peter Kirwan Bates**, Framingham, MA (US); **David S. Bonalle**, New Rochelle, NY (US); **Gail A. Francolini**, Fairfield, CT (US); **Samantha S. Ing**, New York, NY (US); **Danielle L. Kunian**, New York, NY (US); **Leigh R. Malnati**, Mountain Lakes, NJ (US); **Danielle R. Nulle**, Atlantic Highlands, NJ (US); **Steven A. Rank**, New York, NY (US); **Lisa E. Skilling-Belmond**, New York, NY (US); **Lisa A. Webb**, Darien, CT (US); **Kevin Young**, South Boston, MA (US)

(73) Assignee: **American Express Travel Related Services Company, Inc.**, New York, NY (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/272,336**

(22) Filed: **Feb. 6, 2007**

**Related U.S. Application Data**

(63) Continuation of application No. 29/224,791, filed on Mar. 7, 2005, now Pat. No. Des. 543,351.

(60) Provisional application No. 60/572,922, filed on May 20, 2004.

(51) **LOC (8) Cl.** ..... **03-01**

(52) **U.S. Cl.** ..... **D3/207**

(58) **Field of Classification Search** ..... D3/207-212;  
206/37.1, 38.1; 150/147; 70/456 R, 456 B,  
70/458-459; 24/3 K, 3.6, 100; D11/44,  
D11/48

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D418,971 S \* 1/2000 Scungio ..... D3/207

D431,355 S \* 10/2000 Boyd, Jr. .... D3/209  
D449,734 S \* 10/2001 Shing ..... D3/209  
D475,195 S \* 6/2003 Christianson ..... D3/209  
D476,805 S \* 7/2003 Kan ..... D3/209  
D522,234 S \* 6/2006 Murphy ..... D3/209  
D522,743 S \* 6/2006 Lui ..... D3/207  
D543,018 S \* 5/2007 Bates et al. .... D3/207  
D544,706 S \* 6/2007 Rimon ..... D3/207

\* cited by examiner

*Primary Examiner*—Ralf Seifert

(74) *Attorney, Agent, or Firm*—McDermott Will & Emery LLP

(57) **CLAIM**

The ornamental design for a fob, as shown.

**DESCRIPTION**

FIG. 1 is an isometric perspective view of an embodiment of a new design of the present invention;

FIG. 2 is a top plan view of the new design of the present invention shown in FIG. 1;

FIG. 3 is a bottom plan view of the new design of the present invention shown in FIG. 1;

FIG. 4 is a right side view of the new design of the present invention shown in FIG. 1;

FIG. 5 is a left side view of the new design of the present invention shown in FIG. 1;

FIG. 6 is a top end view of the new design of the present invention shown in FIG. 1; and,

FIG. 7 is a bottom end view of the new design of the present invention shown in FIG. 1.

**1 Claim, 3 Drawing Sheets**




FIG. 1




FIG. 3







FIG. 2




**FIG. 4**



**FIG. 5**



**FIG. 6**



**FIG. 7**

