



US00D554502S

(12) **United States Design Patent** (10) **Patent No.:** **US D554,502 S**  
**Hoffman et al.** (45) **Date of Patent:** **\*\* Nov. 6, 2007**

(54) **CONTAINER HAVING SLIDING DOOR**

U.S. Appl. No. 29/251,057, filed Jan. 3, 2006, Cronin et al.

(75) Inventors: **Gregg Hoffman**, Rockford, IL (US);  
**Edward P. Cronin**, Brodhead, WI  
(US); **George Solowiejko**, Rockford, IL  
(US)

\* cited by examiner

*Primary Examiner*—Robert A. Delehanty  
(74) *Attorney, Agent, or Firm*—Reinhart Boerner Van  
Deuren P.C.

(73) Assignee: **J.L. Clark, Inc.**, Rockford, IL (US)

(\*\*) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/264,469**

I claim the ornamental design for the container having  
sliding door, as shown and described.

(22) Filed: **Aug. 10, 2006**

(51) **LOC (8) Cl.** ..... **09-03**

**DESCRIPTION**

(52) **U.S. Cl.** ..... **D9/432**

(58) **Field of Classification Search** ..... D9/430–433,  
D9/414–418; 229/105–106, 108, 108.1,  
229/100, 112–113, 115–116, 110, 162.1,  
229/922, 938, 182.1; 206/551, 746, 457,  
206/784, 822

FIG. 1 is a perspective view of container having a sliding  
door in a closed position, the container and the sliding door  
including dashed lines in the length, width, and depth  
dimensions to indicate that the length, width, and depth  
dimension may vary from that shown and form no part of the  
claimed design, the sliding door including dashed lines to  
show that different surface features on the sliding door are  
possible and form no part of the claimed design;

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,361,250	A	11/1982	Foster	
4,471,881	A	9/1984	Foster	
4,634,019	A	1/1987	Pherigo	
D448,668	S	10/2001	Baerenwald et al.	
D464,567	S	10/2002	Baerenwald et al.	
D466,408	S	12/2002	Baerenwald et al.	
D467,801	S	12/2002	Baerenwald et al.	
D469,011	S *	1/2003	Miller	D9/417
D474,402	S	5/2003	Baerenwald	
D484,409	S *	12/2003	Haggerty et al.	D9/432
6,732,873	B2	5/2004	Bried et al.	
6,742,666	B1	6/2004	Bried et al.	
D523,743	S	6/2006	Solowiejko et al.	
D527,995	S *	9/2006	Tanner	D9/424
D536,962	S *	2/2007	Tanner	D9/424
2004/0217116	A1	11/2004	Offerman et al.	

FIG. 2 is a perspective view of the container of FIG. 1 with  
the sliding door in the open position to reveal a dispensing  
opening, the dispensing opening shown in dashed lines;

FIG. 3 is a top view of the container of FIG. 1, the sliding  
door in the open position to reveal the dispensing opening;

FIG. 4 is a top view of the container of FIG. 1, the sliding  
door in the closed position to conceal the dispensing open-  
ing;

FIG. 5 is a bottom view of the container of FIG. 1;

FIG. 6 is a side view of the container of FIG. 1;

FIG. 7 is a side view of the container of FIG. 1 showing the  
side opposite that shown in FIG. 6;

FIG. 8 is a front view of the container of FIG. 1; and,


FIG. 9 is a back view of the container of FIG. 1.

**OTHER PUBLICATIONS**

U.S. Appl. No. 11/324,636, filed Jan. 3, 2006, Cronin et al.

U.S. Appl. No. 29/233,057, filed Jul. 12, 2005, Cronin et al.

**1 Claim, 4 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9