



US00D554528S

(12) **United States Design Patent**  
**Brandon**

(10) **Patent No.:** **US D554,528 S**

(45) **Date of Patent:** **\*\* Nov. 6, 2007**

(54) **THERMAL INSULATED BAG**

(76) Inventor: **Shelly A. Brandon**, P.O. Box 1155,  
Colorado Springs, CO (US) 80901

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/266,093**

(22) Filed: **Sep. 14, 2006**

(51) **LOC (8) Cl.** ..... **09-05**

(52) **U.S. Cl.** ..... **D9/705**

(58) **Field of Classification Search** ..... D9/703,  
D9/705, 423-425, 499, 433, 713, 761; D7/601-602,  
D7/605, 629; 215/12.1, 13.1, 400; 426/106;  
229/902, 904, 122, 126

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D48,878 S *	4/1916	Ward	.....	D9/713
D131,684 S *	3/1942	Feinberg et al.	.....	D6/518
D212,683 S *	11/1968	Roccaforte et al.	.....	D9/433
D353,538 S *	12/1994	Jobit	.....	D9/432
D412,114 S *	7/1999	Hansen	.....	D9/416
D422,408 S *	4/2000	Schwartz et al.	.....	D3/273
D442,081 S *	5/2001	Paul	.....	D9/423
D458,127 S *	6/2002	de Groote	.....	D9/423
D461,404 S *	8/2002	Steiger	.....	D9/430
D463,276 S *	9/2002	Piscopo et al.	.....	D9/420
D499,021 S *	11/2004	Tiilikka et al.	.....	D9/422
D509,733 S *	9/2005	Jongens	.....	D9/430

\* cited by examiner

*Primary Examiner*—Caron D. Veynar

*Assistant Examiner*—Abraham Bahta

(74) *Attorney, Agent, or Firm*—Linda Flewellen Gould

(57) **CLAIM**

The ornamental design for a thermal insulated bag, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective front and top view of the thermal insulated bag of the present invention, showing my new design, shown in a closed position.

FIG. 2 is a perspective front and top view of the thermal insulated bag of the present invention, shown in an open position.


FIG. 3 is a perspective back and top view of the thermal insulated bag of the present invention, shown in a closed position.

FIG. 4 is a perspective back and top view of the thermal insulated bag of the present invention, shown in an open position; and,

FIG. 5 is a perspective front and bottom view of the thermal insulated bag of the present invention.

The broken lines shown in FIGS. 1-4 indicate a visible seam in the construction of the bag.

**1 Claim, 5 Drawing Sheets**






Figure 1




Figure 2




Figure 3




Figure 4




Figure 5