



US00D554545S

(12) **United States Design Patent**  
**Teraoka**

(10) **Patent No.:** **US D554,545 S**

(45) **Date of Patent:** **\*\* Nov. 6, 2007**

(54) **THERMOMETER**

D504,335 S \* 4/2005 Stevenson et al. .... D10/57  
D535,202 S \* 1/2007 Sisk et al. .... D10/57

(75) Inventor: **Yoshitomo Teraoka**, Osaka (JP)

\* cited by examiner

(73) Assignee: **Hakko Corporation**, Osaka (JP)

*Primary Examiner*—Antoine D. Davis

(\*\*) Term: **14 Years**

(74) *Attorney, Agent, or Firm*—Squire, Sanders & Dempsey  
LLP

(21) Appl. No.: **29/260,032**

(57) **CLAIM**

(22) Filed: **May 17, 2006**

The ornamental design for a thermometer, as shown and described.

(30) **Foreign Application Priority Data**

Nov. 22, 2005 (JP) ..... D2005-034282

**DESCRIPTION**

(51) **LOC (8) Cl.** ..... **10-04**

FIG. 1 is a perspective view of a thermometer;

(52) **U.S. Cl.** ..... **D10/57**

FIG. 2 is a front view thereof;

(58) **Field of Classification Search** ..... D10/57;  
374/1-210; 600/549

FIG. 3 is a rear view thereof;

See application file for complete search history.

FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

FIG. 6 is a top view thereof; and,

FIG. 7 is a bottom view thereof.

D410,204 S \* 5/1999 Hendriks ..... D10/57

D446,135 S \* 8/2001 Chen ..... D10/57

**1 Claim, 4 Drawing Sheets**




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7

