

US00D554575S

(12) **United States Design Patent** (10) **Patent No.:** **US D554,575 S**
Sakakibara et al. (45) **Date of Patent:** **** Nov. 6, 2007**

(54) **TIRE FOR AUTOMOBILE**

(75) Inventors: **Hiroto Sakakibara**, Knobe (JP); **Takao Kamijo**, Osaka-fu (JP)

(73) Assignee: **The Goodyear Tire & Rubber Company**, Akron, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/273,314**

(22) Filed: **Mar. 2, 2007**

(30) **Foreign Application Priority Data**

Sep. 6, 2006 (JP) 2006-023816

(51) **LOC (8) Cl.** **12-15**

(52) **U.S. Cl.** **D12/544**

(58) **Field of Classification Search** D12/544,
D12/534-537, 564, 565, 571, 579, 600-601,
D12/603, 605, 505, 512, 539, 568, 506, 569,
D12/570, 572; 152/209.1, 209.8-209.12,
152/209.18, 209.25, 209.28

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D301,220 S	5/1989	Fujiki		D12/146
D301,442 S	6/1989	Fujiki		D12/146
D301,571 S	6/1989	Fujiki		D12/149
D301,852 S	6/1989	Fujiki		D12/146
D304,705 S	11/1989	Monta		D12/146
D304,707 S	11/1989	Monta		D12/149
D304,708 S	11/1989	Fujiki		D12/150
D306,001 S *	2/1990	Shimamoto et al.		D12/544
D309,282 S	7/1990	Hasegawa		D12/146
D309,286 S	7/1990	Hasegawa		D12/149

D316,691 S	5/1991	Fujiki		D12/146
D342,927 S *	1/1994	Thomas		D12/544
D384,013 S *	9/1997	Thomas		D12/544
D410,418 S	6/1999	Ito		D12/140
D411,150 S *	6/1999	Rooney		D12/544
D411,818 S	7/1999	Ito		D12/140
D481,666 S *	11/2003	Nishimori		D12/536
D482,319 S *	11/2003	Nishimori		D12/544
D504,103 S *	4/2005	Nishimori		D12/506
D514,501 S *	2/2006	Nishimori		D12/544
D522,450 S *	6/2006	Gerasimczuk		D12/544
D524,725 S *	7/2006	Gerasimczuk		D12/544

* cited by examiner

Primary Examiner—Stacia Cadmus

(74) *Attorney, Agent, or Firm*—Richard B. O'Planick

(57) **CLAIM**

The ornamental design for a tire for automobile, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;


FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof; the other side being a mirror image thereof; and,

FIG. 4 is an enlarged fragmentary front elevational view thereof.

In the drawings, the broken lines defining the sidewall, inner bead and the peripheral boundary between the tire tread and the sidewall are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4