



US00D554616S

(12) **United States Design Patent**
Pierce

(10) **Patent No.:** **US D554,616 S**

(45) **Date of Patent:** **** Nov. 6, 2007**

(54) **COMBINED PAGER WITH PANIC BUTTON AND TRACKING DEVICE**

(76) **Inventor:** **Darla K. Pierce**, 13717 30th St. South East, Buffalo, ND (US) 58011

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/266,334**

(22) **Filed:** **Dec. 11, 2006**

(51) **LOC (8) Cl.** **14-03**

(52) **U.S. Cl.** **D14/191**

(58) **Field of Classification Search** D14/137, D14/155, 159, 191-193, 299; 340/7.1, 7.2-7.28, 340/7.63, 539.13, 539.14, 539.15; 380/31-34, 380/270, 271; 455/3.01-3.05, 90.1-90.3, 455/95, 128, 347, 351
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D357,419 S * 4/1995 Hsu D10/6
- D361,333 S * 8/1995 Scheid et al. D14/191
- D373,586 S * 9/1996 Hon et al. D14/191
- D373,768 S * 9/1996 Hon et al. D14/191
- D375,498 S * 11/1996 Scheid et al. D14/191
- D379,985 S * 6/1997 Biasotti et al. D14/191

- D380,471 S * 7/1997 Biasotti et al. D14/191
- D388,090 S * 12/1997 Khoo D14/191
- D394,347 S * 5/1998 Girvetz D3/215
- D397,114 S * 8/1998 Kataoka et al. D14/191
- D400,006 S * 10/1998 Girvetz D3/215
- D400,878 S * 11/1998 Scheid et al. D14/191

* cited by examiner

Primary Examiner—Stella Reid
Assistant Examiner—Keli L. Acker

(57) **CLAIM**

The ornamental design for a combined pager with panic button and tracking device, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a combined pager with panic button and tracking device, embodying my new design;

FIG. 2 is a rear elevational view thereof;



FIG. 3 is a left side elevational view thereof;

FIG. 4 is a right side elevational view thereof;

FIG. 5 is a top plan view thereof; and,

FIG. 6 is a bottom plan view thereof.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6