



US00D554760S

(12) **United States Design Patent**  
**Brockhaus et al.**

(10) **Patent No.:** **US D554,760 S**

(45) **Date of Patent:** **\*\* Nov. 6, 2007**

(54) **PACIFIER**

(75) Inventors: **Rolf Brockhaus**, Dortmund (DE); **Hans Struckmeier**, Pattensen (DE); **Armin Struckmeier**, Pattensen (DE); **Rolf Hinz**, Herne (DE)

(73) Assignee: **Novatex GmbH**, Pattensen (DE)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/256,036**

(22) Filed: **Mar. 15, 2006**

(51) **LOC (8) Cl.** ..... **24-04**

(52) **U.S. Cl.** ..... **D24/194; D24/196**

(58) **Field of Classification Search** ..... D24/193-99,  
D24/215; D7/393-4; D9/436, 456, 526;  
215/11.1-11.6, 387, 392; 248/102-7; 606/234  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,924,621 A	12/1975	Cassimally	
D245,335 S *	8/1977	Meeker et al. ....	D24/194
4,078,570 A	3/1978	Frodrich et al.	
4,381,785 A *	5/1983	Robbins .....	606/236
4,403,613 A	9/1983	Panicci	
4,493,324 A	1/1985	Johnston	
4,545,378 A *	10/1985	Chrones .....	606/236
4,676,386 A *	6/1987	Phlaphongphanich .....	215/11.1
5,004,473 A *	4/1991	Kalantar .....	606/234
5,156,617 A	10/1992	Reid	
5,275,619 A	1/1994	Engbretson	
5,391,184 A	2/1995	Rosenthal	
5,578,058 A	11/1996	Chen	
5,665,113 A	9/1997	Decker	
5,759,195 A	6/1998	Fields et al.	
D414,267 S *	9/1999	Calandro, Jr. ....	D24/194

6,068,649 A	5/2000	Chamberlain	
D448,486 S *	9/2001	Horntrich .....	D24/194
6,325,817 B1	12/2001	Shen	
6,458,149 B1 *	10/2002	Peters-Combs .....	606/234
6,470,200 B2	10/2002	Walker et al.	
D487,929 S *	3/2004	Liu et al. ....	D24/194
7,029,491 B2 *	4/2006	Davis .....	606/234
D532,521 S *	11/2006	Struckmeier .....	D24/194
2003/0181947 A1 *	9/2003	Struckmeier et al. ....	606/234
2004/0059382 A1 *	3/2004	Bergersen .....	606/234

**FOREIGN PATENT DOCUMENTS**

DE 20022126 4/2001

\* cited by examiner

*Primary Examiner*—Louis S. Zarfes

*Assistant Examiner*—Susan E Krakower

(74) *Attorney, Agent, or Firm*—Fay Sharpe LLP

(57) **CLAIM**

The ornamental design for a pacifier, as shown and described

**DESCRIPTION**

FIG. 1 is a perspective view of a pacifier, showing the pacifier design;

FIG. 2 is a bottom plan view of the pacifier of FIG. 1;

FIG. 3 is a top plan view of the pacifier of FIG. 1;



FIG. 4 is a side elevational view of the pacifier of FIG. 1, with the opposite side being a mirror image thereof;

FIG. 5 is a front elevation view of the pacifier of FIG. 1; and,

FIG. 6 is a rear elevation view of the pacifier of FIG. 1.

The broken line showing of a mouth guard, backing and ring are included for the purpose of illustrating environmental structure and forms no part of the claimed design.

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 5




FIG. 3




FIG. 4




FIG. 6