

## US00D554785S

## (12) United States Design Patent (10) Patent No.:

Brown et al.

# (45) Date of Patent:

US D554,785 S

\*\* Nov. 6, 2007

(54)	LIGHTING DEV	<b>ICE</b>
------	--------------	------------

(75) Inventors: John R. Brown, Mosman (AU); Peter

McMillan, Wollstonecraft (AU); Michael S. Squires, Ryde (AU)

(73) Assignee: Eveready Battery Company, Inc., St.

Louis, MO (US)

(\*\*) Term: **14 Years** 

(21) Appl. No.: 29/266,722

(22) Filed: Sep. 27, 2006

362/370, 371, 116, 104, 103, 103, 106, 137, 362/158, 171–174, 183, 184, 186, 190, 344, 362/345

See application file for complete search history.

### (56) References Cited

#### U.S. PATENT DOCUMENTS

D232,185 S	*	7/1974	Rhoades et al D24/41
D397,817 S	*	9/1998	Yuen
5,860,729 A	*	1/1999	Bamber 362/184
D407,171 S	*	3/1999	Yuen
D422,105 S	*	3/2000	Poon

<sup>\*</sup> cited by examiner

Primary Examiner—Ian Simmons
Assistant Examiner—Carissa C Fitts

(74) Attorney, Agent, or Firm—Gregory J. Adams


## (57) CLAIM

We claim the ornamental design for a lighting device, as shown and described.

## **DESCRIPTION**

- FIG. 1 is a top perspective view of the lighting device of the present invention;
- FIG. 2 is a top view of the lighting device of the present invention;
- FIG. 3 is a bottom view of the lighting device of the present invention;
- FIG. 4 is a right side view of the lighting device of the present invention;
- FIG. 5 is a left side view of the lighting device of the present invention;
- FIG. 6 is a front view of the lighting device of the present invention;
- FIG. 7 is a rear view of the lighting device of the present invention; and,
- FIG. 8 is a front view of the lighting device of the present invention with the clip shown in an alternate position.

## 1 Claim, 8 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

