



US00D554848S

(12) **United States Design Patent** (10) **Patent No.:** **US D554,848 S**  
**Marston** (45) **Date of Patent:** **\*\* Nov. 13, 2007**

(54) **ILLUMINATED SHOE LOWER**

D520,722 S \* 5/2006 Hlavacs ..... D2/964

(75) Inventor: **Jez Marston**, Silver Spring, MD (US)

\* cited by examiner

(73) Assignee: **Jezign, LLC**, Bethesda, MD (US)

*Primary Examiner*—Dominic Simone

(74) *Attorney, Agent, or Firm*—Cahn & Samuels, LLP.

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/217,103**

(57) **CLAIM**

(22) Filed: **Nov. 15, 2004**

The ornamental design for an illuminated shoe lower, as shown and described.

#### DESCRIPTION

#### Related U.S. Application Data

(63) Continuation-in-part of application No. 10/386,509, filed on Mar. 13, 2003, now Pat. No. 6,837,590, which is a continuation-in-part of application No. 09/963,787, filed on Sep. 27, 2001, now abandoned.

(51) **LOC (8) Cl.** ..... **02-99**

(52) **U.S. Cl.** ..... **D2/977; D2/964**

(58) **Field of Classification Search** ..... D2/902,  
D2/906–912, 946, 972–974, 964, 977; 36/25 R,  
36/43

See application file for complete search history.

(56) **References Cited**

#### U.S. PATENT DOCUMENTS

4,158,922 A	6/1979	Dana, III	
D341,478 S *	11/1993	Forland et al.	D2/977
D350,016 S *	8/1994	Passke et al.	D2/946
5,930,921 A	8/1999	Sorofman et al.	
6,007,211 A	12/1999	Cheung	
6,023,784 A	2/2000	Yeal	
6,050,007 A	4/2000	Angelieri et al.	
6,457,261 B1	10/2002	Crary	
6,618,959 B1	9/2003	Sussmann	
6,659,618 B2	12/2003	Waters	
D490,220 S *	5/2004	Edauw	D2/908
D490,221 S *	5/2004	Edauw	D2/908
D511,618 S *	11/2005	McDowell et al.	D2/977
D516,786 S *	3/2006	Besanceney, III	D2/964

FIG. 1 is a perspective view of the illuminated shoe lower in accordance with a first embodiment of the invention.

FIG. 2 is a front view of the illuminated shoe lower shown in FIG. 1.

FIG. 3 is a rear view of the illuminated shoe lower shown in FIG. 1.

FIG. 4 is a left side view of the illuminated shoe lower illustrated in FIG. 1.

FIG. 5 is a right side view of the illuminated shoe lower shown in FIG. 1.

FIG. 6 is a perspective view of an illuminated shoe lower in accordance with another embodiment of the invention.

FIG. 7 is a right side view of the illuminated shoe lower depicted in FIG. 6.

FIG. 8 is a perspective view of an illuminated shoe lower in accordance with still another embodiment of the invention; and,

FIG. 9 is a right side view of the illuminated shoe lower illustrated in FIG. 8.

The broken lines in the shoe upper depicted in the drawings are for illustrative purposes only and form no part of the claimed design. The broken lines extending from the translucent regions of the shoe lower indicate that those regions are illuminated.

**1 Claim, 5 Drawing Sheets**






FIG. 2





FIG. 5

FIG. 3





FIG. 4







FIG. 7




FIG. 8




FIG. 9