

US00D554981S

(12) **United States Design Patent**
Delisio et al.

(10) **Patent No.:** **US D554,981 S**

(45) **Date of Patent:** **** Nov. 13, 2007**

(54) **POINT LOADED HOOK**

(75) Inventors: **Christian Delisio**, Stony Point, NY (US); **George T. Grammas**, New Hyde Park, NY (US); **Bradley Allen Beall**, Skiatook, OK (US)

(73) Assignee: **The Crosby Group, Inc.**, Tulsa, OK (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/237,463**

(22) Filed: **Aug. 31, 2005**

(51) **LOC (8) Cl.** **08-05**

(52) **U.S. Cl.** **D8/367**

(58) **Field of Classification Search** D8/367;
248/302, 303; 294/26

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,484,495	A *	2/1924	Hatherley	294/26
3,531,148	A *	9/1970	Rohde	294/26
4,660,875	A *	4/1987	Ziegler	294/26

D354,675	S *	1/1995	Bannister	D8/367
D383,052	S *	9/1997	Sheftel	D8/367
D422,888	S *	4/2000	Oутten	D8/367
D467,159	S *	12/2002	Meyer	D8/367

* cited by examiner

Primary Examiner—Holly H. Baynham

(74) *Attorney, Agent, or Firm*—Head, Johnson & Kachigian

(57) **CLAIM**

The ornamental design for a point loaded hook, as shown and described.

DESCRIPTION

FIG. 1 is a left side view of a hook constructed in accordance with the present invention;

FIG. 2 is a right side view of a hook as shown in FIG. 1;

FIG. 3 is a front side view of a hook as shown in FIG. 1;


FIG. 4 is a rear view of a hook as shown in FIG. 1;

FIG. 5 is a top view of a hook as shown in FIG. 1;

FIG. 6 is a bottom view of a hook as shown in FIG. 1; and,

FIG. 7 is a perspective view of a hook as shown in FIG. 1.

1 Claim, 3 Drawing Sheets






FIGURE 1




FIGURE 5




FIGURE 4




FIGURE 3




FIGURE 2




FIGURE 6




FIGURE 7