

US00D555817S

## (12) United States Design Patent (10) Patent No.:

**Thomson** 

US D555,817 S

## (45) **Date of Patent:**

# \*\* Nov. 20, 2007

## BICYCLE LIGHTING SET

| (75) Inventor: Gavin Thomson, Richmond (C |
|---|
|---|

Assignee: Bicygnals Limited (GB)

14 Years Term:

Appl. No.: 29/277,559

Sep. 1, 2006

(22) Filed: Mar. 1, 2007

### Foreign Application Priority Data (30)

| (51) | LOC (8) Cl  |
|------|---|
| (52) | U.S. Cl D26/28                                    |
| (58) | Field of Classification Search D26/28–36          |
|      | 362/61, 80, 81, 82, 83, 267–269, 459–468          |
|      | 362/475–478, 485–487                              |
|      | See application file for complete search history. |

(EM) ...... 000582879-0002

### (56)**References Cited**

## U.S. PATENT DOCUMENTS

| D498,550 S | * | 11/2004 | Chen D26/28   |
|------------|---|---------|---------------|
| D528,230 S | * | 9/2006  | Nagano D26/28 |
| D535,410 S | * | 1/2007  | Lee           |
| D535,411 S | * | 1/2007  | Lee           |
| D540,481 S | * | 4/2007  | Okuda D26/28  |
| D540,966 S | * | 4/2007  | Ueda et al    |
| D541,447 S | * | 4/2007  | Ueda et al    |
|            |   |         |               |

<sup>\*</sup> cited by examiner

Primary Examiner—Marcus A. Jackson (74) Attorney, Agent, or Firm—Reinhart Boerner Van Deuren P.C.

#### **CLAIM** (57)


I claim the ornamental design for the bicycle lighting set, as shown and described.

### DESCRIPTION

The bicycle light is designed to be mounted on a bicycle. It is made in two halves. The front half is designed to clip onto or in front of the handlebars of the bicycle, and the rear half is designed to be attached to the back of the cycle seat. When removed from the bicycle the two halves can be clipped together for ease of carrying.

- FIG. 1 is a perspective view of the bicycle lighting set viewed from the front and above, with the two parts slightly separated;
- FIG. 2 is a perspective view of the bicycle lighting set from the same angle but with the two parts clipped together;
- FIG. 3 is a top plan view from directly above with the two halves clipped together;
- FIG. 4 is a front elevation view from directly in front showing right across the centre of the front bicycle lighting set housing;
- FIG. 5 is a right hand side elevation view from the right hand side (from a cyclist's perspective) with the two halves clipped together, the left hand side elevation corresponds exactly;
- FIG. 6 is an underside view from directly below with the two halves clipped together; and,
- FIG. 7 is a rear elevation view from directly behind showing right across the centre the rear riding light housing.

## 1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7