



US00D555908S

(12) **United States Design Patent**
Johnsrud

(10) **Patent No.:** **US D555,908 S**

(45) **Date of Patent:** **** Nov. 27, 2007**

(54) **WIPE WITH PATTERN**

(75) **Inventor:** **Samuel Paul Johnsrud**, Manitowoc,
WI (US)

(73) **Assignee:** **Rockline Industries, Inc.**, Sheboygan,
WI (US)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/250,364**

(22) **Filed:** **Nov. 10, 2006**

(51) **LOC (8) Cl.** **05-06**

(52) **U.S. Cl.** **D5/26; D5/57**

(58) **Field of Classification Search** D5/1-3,
D5/5, 7, 8, 11, 13-16, 19, 20, 23-28, 30,
D5/32, 35-37, 39, 43, 45, 47, 49, 50, 52-66,
D5/99; D2/749, 994; D6/582, 583, 595,
D6/596, 598, 603-606, 608, 613-616, 617,
D6/619, 622; D7/396.4, 396.5; D24/124-126;
D25/142, 152; 5/413 AM, 709; 156/148,
156/209; 162/134, 140, 231; 428/17, 18,
428/151, 154, 156, 171, 187, 198, 199, 540,
428/542.2, 542.6, 919, 904.4
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|---------------|---------|----------------|-------|--------|
| D118,356 S * | 12/1939 | Turpan | | D5/37 |
| D132,417 S | 5/1942 | Cann | | |
| D167,528 S * | 8/1952 | Odzer | | D5/37 |
| D232,593 S | 8/1974 | Stone | | |
| D232,594 S | 8/1974 | Stone | | |
| D260,193 S * | 8/1981 | Elchook et al. | | D5/37 |
| 4,844,965 A * | 7/1989 | Foxman | | 428/91 |
| D315,990 S | 4/1991 | Blenke et al. | | |
| D322,173 S | 12/1991 | Schultz et al. | | |

| | | | | |
|---------------|---------|-------------------|-------|---------|
| D354,854 S * | 1/1995 | Schulz | | D5/53 |
| D356,688 S * | 3/1995 | Uitenbroek et al. | | D5/52 |
| D358,035 S | 5/1995 | Zander et al. | | |
| 5,436,057 A | 7/1995 | Schulz | | |
| D368,587 S * | 4/1996 | Schulz | | D5/53 |
| D373,026 S * | 8/1996 | Delebreaux et al. | | D5/20 |
| 5,573,830 A | 11/1996 | Schulz | | |
| 5,597,639 A | 1/1997 | Schulz | | |
| 5,620,776 A | 4/1997 | Schulz | | |
| D383,310 S | 9/1997 | Springer | | |
| D384,819 S | 10/1997 | Zander et al. | | |
| D385,707 S | 11/1997 | Kopacz et al. | | |
| D400,716 S | 11/1998 | Sporing et al. | | |
| D401,420 S | 11/1998 | Sporing et al. | | |
| 5,837,352 A * | 11/1998 | English et al. | | 428/198 |
| D405,269 S * | 2/1999 | Schulz | | D5/37 |
| 5,874,156 A | 2/1999 | Schulz | | |
| D406,791 S * | 3/1999 | Schulz et al. | | D5/53 |

(Continued)

Primary Examiner—T. Chase Nelson

Assistant Examiner—Karen Acker

(74) *Attorney, Agent, or Firm*—Reinhart Boerner Van
Dueren s.c.


(57) **CLAIM**

The ornamental design for a wipe with pattern, as shown and described.

DESCRIPTION

The sole FIGURE is a top plan view of a wipe with pattern showing our new design. The broken lines in the drawing define the boundaries of the wipe to which the pattern is applied, and form no part of the claimed design. It is understood that the pattern repeats uniformly throughout the width and length of the wipe.

1 Claim, 1 Drawing Sheet



US D555,908 S

Page 2

U.S. PATENT DOCUMENTS

| | | | | | | |
|-------------------|---------|---------------------|---------|--|--|--|
| D409,389 S | 5/1999 | May et al. | | | | |
| D426,710 S | 6/2000 | Sattler-Cohen | | | | |
| D440,050 S | 4/2001 | Nicosia et al. | | | | |
| D445,260 S | 7/2001 | Brennan et al. | | | | |
| 6,277,467 B1 | 8/2001 | Dwiggins et al. | | | | |
| D450,460 S | 11/2001 | Brennan et al. | | | | |
| D452,778 S * | 1/2002 | Graff et al. | D5/53 | | | |
| 6,361,784 B1 | 3/2002 | Brennan et al. | | | | |
| 6,413,614 B1 | 7/2002 | Giesler, Sr. et al. | | | | |
| D464,804 S | 10/2002 | Brennan et al. | | | | |
| D485,077 S * | 1/2004 | Ninmer | D5/26 | | | |
| D490,986 S * | 6/2004 | Ninmer | D5/26 | | | |
| D510,665 S * | 10/2005 | Watts et al. | D5/26 | | | |
| D516,320 S * | 3/2006 | Watts et al. | D5/26 | | | |
| 2001/0008683 A1 | 7/2001 | Takai et al. | | | | |
| 2006/0283538 A1 * | 12/2006 | Schulz et al. | 156/219 | | | |

* cited by examiner

