



US00D555988S

(12) **United States Design Patent** (10) **Patent No.:** **US D555,988 S**  
**Fleece** (45) **Date of Patent:** **\*\* Nov. 27, 2007**

(54) **PLANT WATERING AND SUPPORTING DEVICE**

(76) Inventor: **Vincent Fleece**, 2400 4th Ave., #239, Seattle, WA (US) 98121

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/254,505**

(22) Filed: **Feb. 24, 2006**

(51) **LOC (8) Cl.** ..... **08-01**

(52) **U.S. Cl.** ..... **D8/1**

(58) **Field of Classification Search** ..... D8/1;  
D7/356, 357, 359, 538, 568; 47/44, 71, 80,  
47/21, 85

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

548,381	A *	10/1895	Mulligan	.....	210/318
1,216,642	A	2/1917	White		
D92,934	S *	7/1934	Spencer	.....	D11/147
D185,399	S *	6/1959	Tupper	.....	D7/667
D219,530	S *	12/1970	Billings	.....	D15/28
3,786,598	A	1/1974	Stadelhofer		
D263,269	S *	3/1982	Strathman	.....	D7/667
4,339,891	A	7/1982	Bassett		
D281,480	S *	11/1985	McClelland	.....	D7/356
D289,863	S *	5/1987	Pecoff	.....	D11/155
4,833,823	A *	5/1989	Edwards, III	.....	47/39
D307,528	S *	5/1990	DeCoster	.....	D7/678
D344,210	S *	2/1994	Cousins et al.	.....	D7/538
D350,913	S *	9/1994	Heimos	.....	D11/164
D365,498	S *	12/1995	Lillelund et al.	.....	D7/505
D373,291	S *	9/1996	Auker	.....	D8/1
D376,741	S *	12/1996	Sadlowski, Sr.	.....	D8/8
5,622,004	A	4/1997	Gidge		
5,860,249	A	1/1999	Holtkamp, Jr.		
D410,073	S *	5/1999	Barnett	.....	D23/261
D420,864	S *	2/2000	Kenney et al.	.....	D7/667
6,125,580	A *	10/2000	Fan	.....	47/80
6,131,334	A *	10/2000	Fan	.....	47/81
6,182,394	B1 *	2/2001	Bassler	.....	47/65.5
D445,029	S *	7/2001	Niknafs	.....	D9/456

6,370,819	B1	4/2002	Reiss et al.		
D502,065	S *	2/2005	Yang	.....	D8/1
6,955,008	B2 *	10/2005	Rose	.....	47/80
2004/0016179	A1	1/2004	Moran		
2005/0060934	A1	3/2005	Gelfer		

\* cited by examiner

*Primary Examiner*—Holly H. Baynham

*Assistant Examiner*—Sheryl Friedman

(74) *Attorney, Agent, or Firm*—Patel & Alumit, PC; Edwin Tarver

(57) **CLAIM**

I claim the ornamental design for a plant watering and supporting device, as shown and described.

**DESCRIPTION**

FIG. 1 is a top perspective view of the plant watering and supporting device according to the new design with the lid unattached.

FIG. 2 is a top view of the combined plant support and waterer according to the new design.

FIG. 3 is a side view of the combined plant support and waterer according to the new design.

FIG. 4 is a top perspective view of the combined plant support and waterer with the lid and the container assembled according to the new design.

FIG. 5 is a top perspective view of the container of the combined plant support and waterer according to the new design.


FIG. 6 is a top view of the container of the combined plant support and waterer according to the new design.


FIG. 7 is a top perspective view of the lid of the combined plant support and waterer according to the new design.

FIG. 8 is a bottom perspective view of the lid of the combined plant support and waterer according to the new design; and,


FIG. 9 is a top view of the lid of the combined plant support and waterer according to the new design.

**1 Claim, 9 Drawing Sheets**







**FIG. 1**




**FIG. 2**




**FIG. 3**




**FIG. 4**



**FIG. 5**




**FIG. 6**




**FIG. 7**





**FIG. 8**



**FIG. 9**