



US00D556071S

(12) **United States Design Patent**
Jitsuda

(10) **Patent No.:** **US D556,071 S**

(45) **Date of Patent:** **** Nov. 27, 2007**

(54) **KNITTING COUNTER FOR COUNTING
KNITTED LOOPS OR ROWS OF KNITTED
LOOPS**

(75) Inventor: **Toshiharu Jitsuda**, Osaka (JP)

(73) Assignee: **Clover Mfg. Co., Ltd.**, Osaka (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/243,852**

(22) Filed: **Dec. 1, 2005**

(30) **Foreign Application Priority Data**

Jun. 2, 2005 (JP) 2005-016004

(51) **LOC (8) Cl.** **10-04**

(52) **U.S. Cl.** **D10/97**

(58) **Field of Classification Search** D10/97;
235/114, 122, 117 A, 1 B, 78, 115, 108, 41,
235/42, 116, 117 R, 91 R, 139 R, 1 R, 1 D;
340/323 R, 384.72, 815.45, 815.69; 116/222;
377/5

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D224,058 S * 6/1972 Rudduck D10/97
D288,181 S * 2/1987 Matsubayashi D10/97
5,730,658 A * 3/1998 Kurtz et al. 235/1 B
7,081,809 B1 * 7/2006 Mix et al. 340/384.71

FOREIGN PATENT DOCUMENTS

JP S-665380 11/1985
JP S-926922 6/1995

* cited by examiner

Primary Examiner—Antoine D. Davis

(74) *Attorney, Agent, or Firm*—Hamre, Schumann, Mueller
& Larson, P.C.

(57) **CLAIM**

The ornamental design for a knitting counter for counting knitted loops or rows of knitting loops, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a knitting counter which includes a housing, a counting push button on top of the housing, display windows formed on a front wall of the housing for numerically indicating the incrementing count of knitted loops or rows of knitted loops as the push button is depressed, a lock knob located at a lower left portion of the housing for preventing the push button from being unintentionally depressed when the knob is pivoted upward;

FIG. 2 is a rear view of the same knitting counter;

FIG. 3 is a left side view of the same knitting counter;

FIG. 4 is a right side view of the same knitting counter;

FIG. 5 is a top plan view of the same knitting counter;

FIG. 6 is a bottom view of the same knitting counter;

FIG. 7 is a front view similar to FIG. 1 but showing the same knitting counter when the push button is manually depressed for counting while the lock knob is pivoted downward to an unlocking position, the push button being capable of automatically returning to its initial position after depressing;

FIG. 8 is a left side view similar to FIG. 3 but showing the same knitting counter when the push button is depressed for counting while the lock knob is pivoted downward to the unlocking position; and,

FIG. 9 is a bottom view similar to FIG. 6 but showing the same knitting counter when the push button is depressed for counting while the lock knob is pivoted downward to the unlocking position.

1 Claim, 4 Drawing Sheets




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG. 7




FIG. 8




FIG. 9

