

US00D556080S

(12) **United States Design Patent** (10) **Patent No.:** **US D556,080 S**
Day (45) **Date of Patent:** **** Nov. 27, 2007**

(54) **SET OF ALPHA NUMERIC BEADS**

(76) Inventor: **Jerome Dortass Day**, Lowry Ave.
North, P.O. Box 11843, Minneapolis,
MN (US) 55411

(**) Term: **14 Years**

(21) Appl. No.: **29/270,739**

(22) Filed: **Jan. 3, 2007**

(51) **LOC (8) Cl.** **11-03**

(52) **U.S. Cl.** **D11/86; D18/24**

(58) **Field of Classification Search** D11/1-2,
D11/7, 40-44, 46-49, 53, 56-57, 59-61,
D11/63, 65, 79-83, 86-87, 89-90, 99, 91-92,
D11/101, 106, 114-116, 200-201; 63/1.11,
63/18-20; 40/596; D3/207-211; D18/24,
D18/26, 29-30; D19/59

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D84,972 S *	9/1931	Bloom		D11/100
2,052,381 A *	8/1936	Chernow		63/4
D151,306 S *	10/1948	Weisman		D18/30
D179,381 S *	12/1956	Dana		D18/24
D263,172 S *	2/1982	Payne		D24/102
D327,030 S *	6/1992	Young		D11/61
D384,301 S *	9/1997	Gusky		D11/81
D506,156 S *	6/2005	Bernsen		D11/3
D526,234 S *	8/2006	Dolce et al.		D11/6
D528,939 S *	9/2006	Casassa		D11/95

* cited by examiner

Primary Examiner—Ralf Seifert

(74) *Attorney, Agent, or Firm*—Michael A. Mochinski

(57) **CLAIM**

The ornamental design for a set of alpha numeric beads, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of an alpha numeric bead in the letter “A” showing my new design;

FIG. 2 is a left side elevational view of the embodiment shown in FIG. 1;

FIG. 3 is a right side elevational view of the embodiment shown in FIG. 1;

FIG. 4 is a rear elevational view of the embodiment shown in FIG. 1;

FIG. 5 is a top plan view of the embodiment shown in FIG. 1;

FIG. 6 is a bottom plan view of the embodiment shown in FIG. 1;

FIG. 7 is a front elevational view of an alpha numeric bead in the letter “B” showing my new design;

FIG. 8 is a left side elevational view of the embodiment shown in FIG. 7;

FIG. 9 is a right side elevational view of the embodiment shown in FIG. 7;

FIG. 10 is a rear elevational view of the embodiment shown in FIG. 7;

FIG. 11 is a top plan view of the embodiment shown in FIG. 7;

FIG. 12 is a bottom plan view of the embodiment shown in FIG. 7;

FIG. 13 is a front elevational view of an alpha numeric bead in the letter “C” showing my new design;

FIG. 14 is a left side elevational view of the embodiment shown in FIG. 13;

FIG. 15 is a right side elevational view of the embodiment shown in FIG. 13;

FIG. 16 is a rear elevational view of the embodiment shown in FIG. 13;

FIG. 17 is a top plan view of the embodiment shown in FIG. 13;

FIG. 18 is a bottom plan view of the embodiment shown in FIG. 13;

FIG. 19 is a front elevational view of an alpha numeric bead in the letter “D” showing my new design;




FIG. 20 is a left side elevational view of the embodiment shown in FIG. 19;

FIG. 21 is a right side elevational view of the embodiment shown in FIG. 19;

FIG. 22 is a rear elevational view of the embodiment shown in FIG. 19;

FIG. 23 is a top plan view of the embodiment shown in FIG. 19;

FIG. 24 is a bottom plan view of the embodiment shown in FIG. 19;

FIG. 25 is a front elevational view of an alpha numeric bead in the letter "E" showing my new design;

FIG. 26 is a left side elevational view of the embodiment shown in FIG. 25;

FIG. 27 is a right side elevational view of the embodiment shown in FIG. 25;

FIG. 28 is a rear elevational view of the embodiment shown in FIG. 25;

FIG. 29 is a top plan view of the embodiment shown in FIG. 25;

FIG. 30 is a bottom plan view of the embodiment shown in FIG. 25;

FIG. 31 is a front elevational view of an alpha numeric bead in the letter "F" showing my new design;

FIG. 32 is a left side elevational view of the embodiment shown in FIG. 31;

FIG. 33 is a right side elevational view of the embodiment shown in FIG. 31;

FIG. 34 is a rear elevational view of the embodiment shown in FIG. 31;

FIG. 35 is a top plan view of the embodiment shown in FIG. 31;

FIG. 36 is a bottom plan view of the embodiment shown in FIG. 31;

FIG. 37 is a front elevational view of an alpha numeric bead in the letter "G" showing my new design;

FIG. 38 is a left side elevational view of the embodiment shown in FIG. 37;

FIG. 39 is a right side elevational view of the embodiment shown in FIG. 37;

FIG. 40 is a rear elevational view of the embodiment shown in FIG. 37;

FIG. 41 is a top plan view of the embodiment shown in FIG. 37;

FIG. 42 is a bottom plan view of the embodiment shown in FIG. 37;

FIG. 43 is a front elevational view of an alpha numeric bead in the letter "H" showing my new design;

FIG. 44 is a left side elevational view of the embodiment shown in FIG. 43;

FIG. 45 is a right side elevational view of the embodiment shown in FIG. 43;

FIG. 46 is a rear elevational view of the embodiment shown in FIG. 43;

FIG. 47 is a top plan view of the embodiment shown in FIG. 43;

FIG. 48 is a bottom plan view of the embodiment shown in FIG. 43;

FIG. 49 is a front elevational view of an alpha numeric bead in the letter "I" showing my new design;

FIG. 50 is a left side elevational view of the embodiment shown in FIG. 49;

FIG. 51 is a right side elevational view of the embodiment shown in FIG. 49;

FIG. 52 is a rear elevational view of the embodiment shown in FIG. 49;

FIG. 53 is a top plan view of the embodiment shown in FIG. 49;

FIG. 54 is a bottom plan view of the embodiment shown in FIG. 49;

FIG. 55 is a front elevational view of an alpha numeric bead in the letter "J" showing my new design;

FIG. 56 is a left side elevational view of the embodiment shown in FIG. 55;

FIG. 57 is a right side elevational view of the embodiment shown in FIG. 55;

FIG. 58 is a rear elevational view of the embodiment shown in FIG. 55;

FIG. 59 is a top plan view of the embodiment shown in FIG. 55;

FIG. 60 is a bottom plan view of the embodiment shown in FIG. 55;

FIG. 61 is a front elevational view of an alpha numeric bead in the letter "K" showing my new design;

FIG. 62 is a left side elevational view of the embodiment shown in FIG. 61;

FIG. 63 is a right side elevational view of the embodiment shown in FIG. 61;

FIG. 64 is a rear elevational view of the embodiment shown in FIG. 61;

FIG. 65 is a top plan view of the embodiment shown in FIG. 61;

FIG. 66 is a bottom plan view of the embodiment shown in FIG. 61;

FIG. 67 is a front elevational view of an alpha numeric bead in the letter "L" showing my new design;

FIG. 68 is a left side elevational view of the embodiment shown in FIG. 67;

FIG. 69 is a right side elevational view of the embodiment shown in FIG. 67;

FIG. 70 is a rear elevational view of the embodiment shown in FIG. 67;

FIG. 71 is a top plan view of the embodiment shown in FIG. 67;

FIG. 72 is a bottom plan view of the embodiment shown in FIG. 67;

FIG. 73 is a front elevational view of an alpha numeric bead in the letter "M" showing my new design;

FIG. 74 is a left side elevational view of the embodiment shown in FIG. 73;

FIG. 75 is a right side elevational view of the embodiment shown in FIG. 73;

FIG. 76 is a rear elevational view of the embodiment shown in FIG. 73;

FIG. 77 is a top plan view of the embodiment shown in FIG. 73;

FIG. 78 is a bottom plan view of the embodiment shown in FIG. 73;

FIG. 79 is a front elevational view of an alpha numeric bead in the letter “N” showing my new design;

FIG. 80 is a left side elevational view of the embodiment shown in FIG. 79;

FIG. 81 is a right side elevational view of the embodiment shown in FIG. 79;

FIG. 82 is a rear elevational view of the embodiment shown in FIG. 79;

FIG. 83 is a top plan view of the embodiment shown in FIG. 79;

FIG. 84 is a bottom plan view of the embodiment shown in FIG. 79;

FIG. 85 is a front elevational view of an alpha numeric bead in the letter “O” showing my new design;

FIG. 86 is a left side elevational view of the embodiment shown in FIG. 85;

FIG. 87 is a right side elevational view of the embodiment shown in FIG. 85;

FIG. 88 is a rear elevational view of the embodiment shown in FIG. 85;

FIG. 89 is a top plan view of the embodiment shown in FIG. 85;

FIG. 90 is a bottom plan view of the embodiment shown in FIG. 85;

FIG. 91 is a front elevational view of an alpha numeric bead in the letter “P” showing my new design;

FIG. 92 is a left side elevational view of the embodiment shown in FIG. 91;

FIG. 93 is a right side elevational view of the embodiment shown in FIG. 91;

FIG. 94 is a rear elevational view of the embodiment shown in FIG. 91;

FIG. 95 is a top plan view of the embodiment shown in FIG. 91;

FIG. 96 is a bottom plan view of the embodiment shown in FIG. 91;

FIG. 97 is a front elevational view of an alpha numeric bead in the letter “Q” showing my new design;

FIG. 98 is a left side elevational view of the embodiment shown in FIG. 97;

FIG. 99 is a right side elevational view of the embodiment shown in FIG. 97;

FIG. 100 is a rear elevational view of the embodiment shown in FIG. 97;

FIG. 101 is a top plan view of the embodiment shown in FIG. 97;

FIG. 102 is a bottom plan view of the embodiment shown in FIG. 97;

FIG. 103 is a front elevational view of an alpha numeric bead in the letter “R” showing my new design;

FIG. 104 is a left side elevational view of the embodiment shown in FIG. 103;

FIG. 105 is a right side elevational view of the embodiment shown in FIG. 103;

FIG. 106 is a rear elevational view of the embodiment shown in FIG. 103;

FIG. 107 is a top plan view of the embodiment shown in FIG. 103;

FIG. 108 is a bottom plan view of the embodiment shown in FIG. 103;

FIG. 109 is a front elevational view of an alpha numeric bead in the letter “S” showing my new design;

FIG. 110 is a left side elevational view of the embodiment shown in FIG. 109;

FIG. 111 is a right side elevational view of the embodiment shown in FIG. 109;

FIG. 112 is a rear elevational view of the embodiment shown in FIG. 109;

FIG. 113 is a top plan view of the embodiment shown in FIG. 109;

FIG. 114 is a bottom plan view of the embodiment shown in FIG. 109;

FIG. 115 is a front elevational view of an alpha numeric bead in the letter “T” showing my new design;

FIG. 116 is a left side elevational view of the embodiment shown in FIG. 115;

FIG. 117 is a right side elevational view of the embodiment shown in FIG. 115;

FIG. 118 is a rear elevational view of the embodiment shown in FIG. 115;

FIG. 119 is a top plan view of the embodiment shown in FIG. 115;

FIG. 120 is a bottom plan view of the embodiment shown in FIG. 115;

FIG. 121 is a front elevational view of an alpha numeric bead in the letter “U” showing my new design;

FIG. 122 is a left side elevational view of the embodiment shown in FIG. 121;

FIG. 123 is a right side elevational view of the embodiment shown in FIG. 121;

FIG. 124 is a rear elevational view of the embodiment shown in FIG. 121;

FIG. 125 is a top plan view of the embodiment shown in FIG. 121;

FIG. 126 is a bottom plan view of the embodiment shown in FIG. 121;

FIG. 127 is a front elevational view of an alpha numeric bead in the letter “V” showing my new design;

FIG. 128 is a left side elevational view of the embodiment shown in FIG. 127;

FIG. 129 is a right side elevational view of the embodiment shown in FIG. 127;

FIG. 130 is a rear elevational view of the embodiment shown in FIG. 127;

FIG. 131 is a top plan view of the embodiment shown in FIG. 127;

FIG. 132 is a bottom plan view of the embodiment shown in FIG. 127;

FIG. 133 is a front elevational view of an alpha numeric bead in the letter “W” showing my new design;

FIG. 134 is a left side elevational view of the embodiment shown in FIG. 133;

FIG. 135 is a right side elevational view of the embodiment shown in FIG. 133;

FIG. 136 is a rear elevational view of the embodiment shown in FIG. 133;

FIG. 137 is a top plan view of the embodiment shown in FIG. 133;

FIG. 138 is a bottom plan view of the embodiment shown in FIG. 133;

FIG. 139 is a front elevational view of an alpha numeric bead in the letter “X” showing my new design;

FIG. 140 is a left side elevational view of the embodiment shown in FIG. 139;

FIG. 141 is a right side elevational view of the embodiment shown in FIG. 139;

FIG. 142 is a rear elevational view of the embodiment shown in FIG. 139;

FIG. 143 is a top plan view of the embodiment shown in FIG. 139;

FIG. 144 is a bottom plan view of the embodiment shown in FIG. 139;

FIG. 145 is a front elevational view of an alpha numeric bead in the letter “Y” showing my new design;

FIG. 146 is a left side elevational view of the embodiment shown in FIG. 145;

FIG. 147 is a right side elevational view of the embodiment shown in FIG. 145;

FIG. 148 is a rear elevational view of the embodiment shown in FIG. 145;

FIG. 149 is a top plan view of the embodiment shown in FIG. 145;

FIG. 150 is a bottom plan view of the embodiment shown in FIG. 145;

FIG. 151 is a front elevational view of an alpha numeric bead in the letter “Z” showing my new design;

FIG. 152 is a left side elevational view of the embodiment shown in FIG. 151;

FIG. 153 is a right side elevational view of the embodiment shown in FIG. 151;

FIG. 154 is a rear elevational view of the embodiment shown in FIG. 151;

FIG. 155 is a top plan view of the embodiment shown in FIG. 151;

FIG. 156 is a bottom plan view of the embodiment shown in FIG. 151;

FIG. 157 is a front elevational view of an alpha numeric bead in the number “1” showing my new design;

FIG. 158 is a left side elevational view of the embodiment shown in FIG. 157;

FIG. 159 is a right side elevational view of the embodiment shown in FIG. 157;

FIG. 160 is a rear elevational view of the embodiment shown in FIG. 157;

FIG. 161 is a top plan view of the embodiment shown in FIG. 157;

FIG. 162 is a bottom plan view of the embodiment shown in FIG. 157;

FIG. 163 is a front elevational view of an alpha numeric bead in the number “2” showing my new design;

FIG. 164 is a left side elevational view of the embodiment shown in FIG. 163;

FIG. 165 is a right side elevational view of the embodiment shown in FIG. 163;

FIG. 166 is a rear elevational view of the embodiment shown in FIG. 163;

FIG. 167 is a top plan view of the embodiment shown in FIG. 163;

FIG. 168 is a bottom plan view of the embodiment shown in FIG. 163;

FIG. 169 is a front elevational view of an alpha numeric bead in the number “3” showing my new design;

FIG. 170 is a left side elevational view of the embodiment shown in FIG. 169;

FIG. 171 is a right side elevational view of the embodiment shown in FIG. 169;

FIG. 172 is a rear elevational view of the embodiment shown in FIG. 169;

FIG. 173 is a top plan view of the embodiment shown in FIG. 169;

FIG. 174 is a bottom plan view of the embodiment shown in FIG. 169;

FIG. 175 is a front elevational view of an alpha numeric bead in the number “4” showing my new design;

FIG. 176 is a left side elevational view of the embodiment shown in FIG. 175;

FIG. 177 is a right side elevational view of the embodiment shown in FIG. 175;

FIG. 178 is a rear elevational view of the embodiment shown in FIG. 175;

FIG. 179 is a top plan view of the embodiment shown in FIG. 175;

FIG. 180 is a bottom plan view of the embodiment shown in FIG. 175;

FIG. 181 is a front elevational view of an alpha numeric bead in the number “5” showing my new design;

FIG. 182 is a left side elevational view of the embodiment shown in FIG. 181;

FIG. 183 is a right side elevational view of the embodiment shown in FIG. 181;

FIG. 184 is a rear elevational view of the embodiment shown in FIG. 181;

FIG. 185 is a top plan view of the embodiment shown in FIG. 181;

FIG. 186 is a bottom plan view of the embodiment shown in FIG. 181;

FIG. 187 is a front elevational view of an alpha numeric bead in the number “6” showing my new design;

FIG. 188 is a left side elevational view of the embodiment shown in FIG. 187;

FIG. 189 is a right side elevational view of the embodiment shown in FIG. 187;

FIG. 190 is a rear elevational view of the embodiment shown in FIG. 187;

FIG. 191 is a top plan view of the embodiment shown in FIG. 187;

FIG. 192 is a bottom plan view of the embodiment shown in FIG. 187;

FIG. 193 is a front elevational view of an alpha numeric bead in the number “7” showing my new design;

FIG. 194 is a left side elevational view of the embodiment shown in FIG. 193;

FIG. 195 is a right side elevational view of the embodiment shown in FIG. 193;

FIG. 196 is a rear elevational view of the embodiment shown in FIG. 193;

FIG. 197 is a top plan view of the embodiment shown in FIG. 193;

FIG. 198 is a bottom plan view of the embodiment shown in FIG. 193;

FIG. 199 is a front elevational view of an alpha numeric bead in the number “8” showing my new design;

FIG. 200 is a left side elevational view of the embodiment shown in FIG. 199;

FIG. 201 is a right side elevational view of the embodiment shown in FIG. 199;

FIG. 202 is a rear elevational view of the embodiment shown in FIG. 199;

FIG. 203 is a top plan view of the embodiment shown in FIG. 199;

FIG. 204 is a bottom plan view of the embodiment shown in FIG. 199;

FIG. 205 is a front elevational view of an alpha numeric bead in the number “9” showing my new design;

FIG. 206 is a left side elevational view of the embodiment shown in FIG. 205;

FIG. 207 is a right side elevational view of the embodiment shown in FIG. 205;

FIG. 208 is a rear elevational view of the embodiment shown in FIG. 205;

FIG. 209 is a top plan view of the embodiment shown in FIG. 205;

FIG. 210 is a bottom plan view of the embodiment shown in FIG. 205;

FIG. 211 is a front elevational view of an alpha numeric bead in the number “0” showing my new design;

FIG. 212 is a left side elevational view of the embodiment shown in FIG. 211;

FIG. 213 is a right side elevational view of the embodiment shown in FIG. 211;

FIG. 214 is a rear elevational view of the embodiment shown in FIG. 211;

FIG. 215 is a top plan view of the embodiment shown in FIG. 211; and,

FIG. 216 is a bottom plan view of the embodiment shown in FIG. 211.

1 Claim, 36 Drawing Sheets




FIG. 1



FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7



FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13



FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19



FIG. 20



FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25



FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31



FIG. 32



FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37



FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42




FIG. 43




FIG. 44




FIG. 45




FIG. 46




FIG. 47




FIG. 48



FIG. 49



FIG. 50



FIG. 51



FIG. 52




FIG. 53




FIG. 54




FIG. 55



FIG. 56




FIG. 57




FIG. 58




FIG. 59




FIG. 60




FIG. 61



FIG. 62



FIG. 63




FIG. 64




FIG. 65




FIG. 66




FIG. 67



FIG. 68



FIG. 69




FIG. 70




FIG. 71




FIG. 72




FIG. 73




FIG. 74



FIG. 75




FIG. 76




FIG. 77




FIG. 78




FIG. 79




FIG. 80



FIG. 81




FIG. 82




FIG. 83




FIG. 84




FIG. 85



FIG. 86



FIG. 87




FIG. 88




FIG. 89




FIG. 90




FIG. 91



FIG. 92



FIG. 93




FIG. 94




FIG. 95




FIG. 96




FIG. 97




FIG. 98



FIG. 99




FIG. 100




FIG. 101




FIG. 102




FIG. 103



FIG. 104



FIG. 105




FIG. 106




FIG. 107




FIG. 108




FIG. 109



FIG. 110



FIG. 111




FIG. 112




FIG. 113




FIG. 114




FIG. 115



FIG. 116



FIG. 117




FIG. 118




FIG. 119




FIG. 120




FIG. 121



FIG. 122



FIG. 123




FIG. 124




FIG. 125




FIG. 126




FIG. 127



FIG. 128




FIG. 129




FIG. 130




FIG. 131




FIG. 132




FIG. 133




FIG. 134



FIG. 135




FIG. 136




FIG. 137




FIG. 138




FIG. 139



FIG. 140




FIG. 141




FIG. 142




FIG. 143




FIG. 144




FIG. 145



FIG. 146



FIG. 147




FIG. 148




FIG. 149




FIG. 150




FIG. 151




FIG. 152



FIG. 153




FIG. 154




FIG. 155




FIG. 156



FIG. 157



FIG. 158




FIG. 159



FIG. 160




FIG. 161




FIG. 162




FIG. 163




FIG. 164




FIG. 165




FIG. 166




FIG. 167




FIG. 168




FIG. 169



FIG. 170



FIG. 171




FIG. 172




FIG. 173




FIG. 174




FIG. 175




FIG. 176



FIG. 177




FIG. 178




FIG. 179




FIG. 180




FIG. 181



FIG. 182




FIG. 183




FIG. 184




FIG. 185




FIG. 186




FIG. 187



FIG. 188



FIG. 189




FIG. 190




FIG. 191




FIG. 192




FIG. 193



FIG. 194




FIG. 195




FIG. 196




FIG. 197




FIG. 198




FIG. 199



FIG. 200



FIG. 201




FIG. 202




FIG. 203




FIG. 204




FIG. 205



FIG. 206



FIG. 207




FIG. 208




FIG. 209




FIG. 210




FIG. 211



FIG. 212



FIG. 213




FIG. 214




FIG. 215




FIG. 216