

US00D556121S

(12) **United States Design Patent** (10) **Patent No.:** **US D556,121 S**
Shondel (45) **Date of Patent:** **** Nov. 27, 2007**

(54) **TIRE TREAD**

D516,998 S * 3/2006 Wang et al. D12/563

(75) Inventor: **Jonathan James Shondel**, Massillon,
OH (US)

* cited by examiner

(73) Assignee: **The Goodyear Tire & Rubber**
Company, Akron, OH (US)

Primary Examiner—Stacia Cadmus

(74) *Attorney, Agent, or Firm*—Richard B. O'Planick

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/269,291**

The ornamental design for a tire tread, as shown and described.

(22) Filed: **Nov. 28, 2006**

DESCRIPTION

(51) **LOC (8) Cl.** **12-15**

(52) **U.S. Cl.** **D12/563**

(58) **Field of Classification Search** D12/546,
D12/551–558, 563–565, 567, 579, 581, 599,
D12/586–590, 600–603, 900, 549–550; 152/209.1–209.28
See application file for complete search history.

FIG. 1 is a perspective view of a tire tread showing my new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof; the other side being a mirror image thereof; and,

FIG. 4 is an enlarged fragmentary front elevational view thereof.


In the drawings, the broken lines defining the sidewall, inner bead and the peripheral boundary between the tire tread and the sidewall are for illustrative purposes only and form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D471,152 S	3/2003	Graas et al.	D12/563
D491,130 S *	6/2004	Welbes	D12/563
D491,134 S *	6/2004	Brayer et al.	D12/588
D495,990 S	9/2004	Graas	D12/563
D504,107 S *	4/2005	Matsumoto et al.	D12/563
D509,786 S *	9/2005	Matsumoto et al.	D12/565

1 Claim, 4 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4