



US00D556561S

(12) **United States Design Patent**
Downing

(10) **Patent No.:** **US D556,561 S**

(45) **Date of Patent:** **** Dec. 4, 2007**

(54) **CORDLOCK**

D543,445 S * 5/2007 Latal et al. D8/383

(75) Inventor: **Mark Downing**, Schaumburg, IL (US)

* cited by examiner

(73) Assignee: **Illinois Tool Works Inc**, Glenview, IL (US)

Primary Examiner—Holly H. Baynham

Assistant Examiner—Sheryl Friedman

(**) Term: **14 Years**

(74) *Attorney, Agent, or Firm*—Mark W. Croll; Paul F. Donovan

(21) Appl. No.: **29/260,866**

(57) **CLAIM**

(22) Filed: **Jun. 2, 2006**

The ornamental design for a cordlock, as shown and described.

(51) **LOC (8) Cl.** **08-08**

DESCRIPTION

(52) **U.S. Cl.** **D8/383**

FIG. 1 is a perspective view of a cordlock showing the new design;

(58) **Field of Classification Search** D8/383, D8/356; 24/115 G, 112, 115 R, 136, 115 M
See application file for complete search history.

FIG. 2 is a front side elevational view thereof;

FIG. 3 is a back side elevational view thereof;

FIG. 4 is a right side elevational view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.


The broken line portions of the disclosure are for illustrative purposes only and form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,018,851	A *	2/2000	Anscher	24/115 G
6,038,746	A *	3/2000	Anscher et al.	24/115 G
D439,148	S *	3/2001	Ishii	D8/383
D481,301	S *	10/2003	Nezu	D8/383
D485,488	S *	1/2004	Tsukuda	D8/383
D540,662	S *	4/2007	Pontaoe	D8/383

1 Claim, 4 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7