



US00D556896S

(12) **United States Design Patent**  
**Logan**

(10) **Patent No.:** **US D556,896 S**

(45) **Date of Patent:** **\*\* Dec. 4, 2007**

(54) **CANISTER CONTENTS INDICATOR**

6,805,116 B2 \* 10/2004 Hodson et al. .... 128/200.23  
2002/0043262 A1 4/2002 Langford et al.

(76) Inventor: **Prescilla Logan**, 2800 Belmont Ave.,  
Baltimore, MD (US) 21216

\* cited by examiner

(\*\*) Term: **14 Years**

*Primary Examiner*—Antoine D. Davis  
(74) *Attorney, Agent, or Firm*—Lawrence J. Gibney, Jr.

(21) Appl. No.: **29/262,913**

(22) Filed: **Jul. 13, 2006**

(57) **CLAIM**

The ornamental design for canister contents indicator, as shown and described.

(51) **LOC (8) Cl.** ..... **29-02**

(52) **U.S. Cl.** ..... **D24/110**

(58) **Field of Classification Search** ..... D10/46;  
D24/110; 128/200.23, 200.14, 203.12, 203.15,  
128/203.19, 203.21, 203.24, 203.14, 204.21,  
128/204.23, 204.26, 205.23, 202.22; 222/36-38,  
222/48

**DESCRIPTION**

FIG. 1 is a front view of a canister contents indicator showing my new design;

FIG. 2 is a back elevational view thereof;

FIG. 3 is a top elevational view thereof;

FIG. 4 is a bottom elevational view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a right side elevational view thereof; and,

FIG. 7 is an isometric view of the device.


See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|              |        |                 |
|--------------|--------|-----------------|
| 5,394,866 A  | 3/1995 | Ritson          |
| 5,505,192 A  | 4/1996 | Samiotes et al. |
| 5,505,195 A  | 4/1996 | Wolf et al.     |
| 6,752,153 B1 | 6/2004 | Eckert          |

**1 Claim, 2 Drawing Sheets**









FIG. 1

FIG. 2

FIG. 3

FIG. 4




FIG. 7




FIG. 6




FIG. 5