



US00D556937S

(12) **United States Design Patent** (10) **Patent No.:** **US D556,937 S**
Ly (45) **Date of Patent:** **** Dec. 4, 2007**

(54) **LIGHT FIXTURE**

(75) Inventor: **Tho Ly**, Plattsburgh, NY (US)

(73) Assignee: **Schonbek Worldwide Lighting Inc.**,
Plattsburgh, NY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/221,202**

(22) Filed: **Jan. 12, 2005**

(51) **LOC (8) Cl.** **26-03**

(52) **U.S. Cl.** **D26/88**

(58) **Field of Classification Search** D26/81,
D26/84, 86, 88, 89, 113, 138, 154; D11/90;
362/404-406, 147, 806; 63/26-28, 32
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D70,264 S *	6/1926	Craft	D11/90
D233,467 S *	10/1974	Coney	D26/88
D317,510 S *	6/1991	Castiglioni	D26/88
5,144,541 A *	9/1992	Schonbek	362/405
5,222,805 A *	6/1993	Schonbek et al.	362/405

(Continued)

OTHER PUBLICATIONS

All light fixtures shown on p. 45 of the 1992 Faustig Catalog #492.*
Basket Sconce With Crystal Accents #92659. Downloaded from
lampsplus.com on Aug. 11, 2005.*

James R. Moder Strass Crystal Mini Pendant Chandelier #55672.
Downloaded from lampsplus.com on Aug. 11, 2005.*

Faustig Catalog No. 179, p. 30.

Faustig Catalog No. 179, p. 108.

Schonbek Portfolio 108, p. 51, 1980.

Schonbek Portfolio 108, p. 67, 1980.

Primary Examiner—Clare E Heflin

(74) *Attorney, Agent, or Firm*—Jeffrey Rothenberg, Esq.;
Heslin Rothenberg Farley & Mesiti P.C.

(57) **CLAIM**

The ornamental design for a light fixture, as shown and described.

DESCRIPTION

This application is related to commonly assigned, concurrently filed Application No. 29/221,165 and Application No. 29/221,314, the full disclosures of which are incorporated herein by reference.

FIG. 1 is an isometric view of a first embodiment of the light fixture of the present invention;

FIG. 2 is a front elevation view thereof, the side and rear elevation views being identical thereto;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is an isometric view of a second embodiment;

FIG. 6 is a front elevation view thereof, the side and rear elevation views being identical thereto;

FIG. 7 is a top plan view thereof;

FIG. 8 is a bottom plan view thereof;

FIG. 9 is an isometric view of a third embodiment;

FIG. 10 is a front elevation view thereof, the side and rear elevation views being identical thereto;

FIG. 11 is a top plan view thereof;

FIG. 12 is a bottom plan view thereof;

FIG. 13 is a front elevation view of a fourth embodiment, the side and rear elevation views being identical thereto;

FIG. 14 is a top plan view thereof;

FIG. 15 is a bottom plan view thereof;




FIG. 16 is a front elevation view of a fifth embodiment, the side and rear elevation views being identical there;

FIG. 17 is a top plan view thereof; and,

FIG. 18 is a bottom plan view thereof.

The broken line showing is for illustrative purposes only and forms no part of the claimed invention.

1 Claim, 18 Drawing Sheets



US D556,937 S

Page 2

U.S. PATENT DOCUMENTS

5,241,460 A *	8/1993	Schonbek	362/405	D400,283 S *	10/1998	Lawrence	D26/86
5,567,046 A *	10/1996	Lucas	362/405	5,906,430 A *	5/1999	Bayer	362/404
5,573,330 A *	11/1996	Lucas	362/405	5,921,668 A *	7/1999	Bayer	362/404

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18