

US00D556952S

(12) **United States Design Patent** (10) **Patent No.:** **US D556,952 S**
Petersen (45) **Date of Patent:** **** Dec. 4, 2007**

(54) **CATTLE WATERER**

(76) Inventor: **Chris C. Petersen**, 1523 1st Ave.
South, Denison, IA (US) 51442

(**) Term: **14 Years**

(21) Appl. No.: **29/259,394**

(22) Filed: **May 8, 2006**

(51) **LOC (8) Cl.** **30-07**

(52) **U.S. Cl.** **D30/121**

(58) **Field of Classification Search** 119/73,
119/74, 51.01, 51.04, 51.11–51.13, 51.5,
119/52.2, 52.4, 54; D30/121, 129, 130–133
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,488,086 A * 3/1924 Zieglofsky 119/73
2,158,093 A * 5/1939 Teske 119/51.03
2,158,094 A * 5/1939 Teske 119/51.03
2,452,237 A * 10/1948 Hoburg et al. 119/72
2,674,227 A * 4/1954 Saunders et al. 119/73
2,972,979 A * 2/1961 Struck 119/51.5
3,734,060 A * 5/1973 Collison 119/51.03
3,841,268 A * 10/1974 Bunger 119/73
4,003,340 A * 1/1977 Kuzara et al. 119/73
4,100,885 A * 7/1978 Kapplinger 119/73
4,130,090 A * 12/1978 Bohlmann 119/73
D254,454 S * 3/1980 Clugston D30/130
4,192,256 A * 3/1980 Clugston 119/51.5
4,395,974 A * 8/1983 Schafer et al. 119/73
4,440,112 A * 4/1984 Lilyerd 119/73
4,483,274 A * 11/1984 Zmolek et al. 119/61.57

D278,371 S * 4/1985 Strickland D30/132
4,739,727 A * 4/1988 Boyer 119/73
4,883,022 A * 11/1989 Barker 119/73
4,922,858 A * 5/1990 Ahrens 119/73
5,329,876 A * 7/1994 Tracy 119/51.03
D374,515 S * 10/1996 Benson, II D30/129
5,566,639 A * 10/1996 McKinstry et al. 119/78
5,740,760 A * 4/1998 Winebrenner 119/73
5,842,437 A * 12/1998 Burns 119/74

* cited by examiner

Primary Examiner—M. H. Tung

Assistant Examiner—Susan Moon Lee

(74) *Attorney, Agent, or Firm*—Thomte Law Office; Dennis
L. Thomte

(57) **CLAIM**

The ornamental design for a cattle waterer, as shown and
described.

DESCRIPTION

FIG. 1 is a perspective view of the cattle waterer;

FIG. 2 is an end view of the cattle waterer;

FIG. 3 is a side view of the cattle waterer;


FIG. 4 is a top view of the cattle waterer;

FIG. 5 is a second end view opposite to that of FIG. 2, of the
cattle waterer;

FIG. 6 is a second side view opposite to that of FIG. 3, of
the cattle waterer; and,

FIG. 7 is a bottom view of the cattle waterer.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7