



US00D556973S

(12) **United States Design Patent** (10) **Patent No.:** **US D556,973 S**
Pierce (45) **Date of Patent:** **** Dec. 4, 2007**

(54) **MAILBOX INDICATOR FLAG**

(76) Inventor: **Michael G. Pierce**, 2009 Westover La.
NW., Kennesaw, GA (US) 30152-4257

(**) Term: **14 Years**

(21) Appl. No.: **29/249,332**

(22) Filed: **Oct. 2, 2006**

(51) **LOC (8) Cl.** **99-00**

(52) **U.S. Cl.** **D99/29; D99/33**

(58) **Field of Classification Search** D99/25-43,
D99/99; 232/17, 21, 33, 35, 39-42, 43.1-43.3,
232/45; D11/165-168, 174, 181-182
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

780,509	A *	1/1905	Kitchen	232/35
1,471,364	A	10/1923	Schrock		
1,521,397	A	12/1924	Scott		
2,352,975	A	7/1944	Roe		
2,804,262	A	8/1957	Mancuso		
3,093,302	A *	6/1963	Alley	232/35
D196,467	S *	10/1963	Alley	D99/29
D198,007	S *	4/1964	Duncan	D99/29
D200,452	S *	2/1965	Duncan	D99/29
3,602,424	A	8/1971	Raulston		
3,747,839	A	7/1973	Morton		
3,960,317	A	6/1976	Clement		
4,005,816	A *	2/1977	Malik	232/35
4,190,193	A	2/1980	Smith		
D287,898	S *	1/1987	Carter	D99/29
4,711,391	A	12/1987	Roge et al.		
4,738,392	A	4/1988	Kovacs		
4,756,472	A	7/1988	Hammons		
4,811,895	A	3/1989	Reinebach		
4,836,441	A	6/1989	Crider		
4,953,783	A	9/1990	Chambers		
4,978,057	A	12/1990	Roden		

D315,821	S *	3/1991	Lorenzi	D99/29
5,004,148	A	4/1991	Windrem		
5,076,337	A	12/1991	Reuter		
5,123,590	A	6/1992	Teele		
5,366,148	A	11/1994	Schreckengost		
5,445,317	A	8/1995	Sokolowski		
5,482,206	A	1/1996	Waycasy		
5,497,940	A	3/1996	Vogt		
D376,249	S *	12/1996	Bunch et al.	D99/29
D376,463	S *	12/1996	Polley et al.	D99/29
5,865,368	A	2/1999	Taylor et al.		
5,964,401	A	10/1999	Thill		
6,293,461	B1 *	9/2001	Rivers, Sr.	232/35
6,575,357	B1	6/2003	Rundell		
7,028,883	B1	4/2006	Choi		
7,032,811	B1 *	4/2006	Paulic et al.	232/39

* cited by examiner

Primary Examiner—Stella M. Reid

Assistant Examiner—Susan E Krakower

(74) *Attorney, Agent, or Firm*—Gardner Groff Greenwald & Villanueva, P.C.

(57) **CLAIM**

The ornamental design for a mailbox indicator flag, substantially as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a mailbox indicator flag showing the present design;

FIG. 2 is a first side elevational view thereof;

FIG. 3 is a front elevational view thereof;


FIG. 4 is a second side elevational view thereof;

FIG. 5 is a rear elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2



Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7