

US00D557159S

(12) **United States Design Patent**
Sasaki et al.

(10) **Patent No.:** **US D557,159 S**

(45) **Date of Patent:** **** Dec. 11, 2007**

(54) **GLOBE FOR A WARNING LAMP**

(75) Inventors: **Hiroki Sasaki, Yao (JP); Tetsuya Miyatake, Yao (JP)**

(73) Assignee: **Patlite Corporation, Osaka (JP)**

(**) Term: **14 Years**

(21) Appl. No.: **29/232,068**

(22) Filed: **Jun. 14, 2005**

(30) **Foreign Application Priority Data**

Dec. 14, 2004	(JP)	2004-38286
Dec. 14, 2004	(JP)	2004-38288
Dec. 14, 2004	(JP)	2004-38290

(51) **LOC (8) Cl.** **10-05**

(52) **U.S. Cl.** **D10/114; D10/109**

(58) **Field of Classification Search** D10/104-121;
D26/72, 68, 104; D25/126; D12/179; 404/6,
404/9; 362/308, 268; 16/441
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,679,886 A * 7/1972 Pizzey 362/308

(Continued)

Primary Examiner—Robert M. Spear

Assistant Examiner—George D Kirschbaum

(74) *Attorney, Agent, or Firm*—Koda & Androlia

(57) **CLAIM**

The ornamental design for a globe for a warning lamp, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of the globe for a warning lamp according to the first embodiment of our new design,

the rear elevational view and the left and right side elevational views being a mirror image of the front elevational view;

FIG. 2 is a top plan view thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a vertical cross sectional view of the globe for a warning lamp shown in FIG. 1;

FIG. 5 is an enlarged horizontal cross sectional view taken along the lines 5—5 in FIG. 1;

FIG. 6 is a front elevational view of the globe for a warning lamp according to the second embodiment of our new design, the rear elevational view and the left and right side elevational views being a mirror image of the front elevational view;

FIG. 7 is a top plan view thereof;

FIG. 8 is a bottom plan view thereof;

FIG. 9 is a vertical cross sectional view of the globe for a warning lamp shown in FIG. 6;

FIG. 10 is an enlarged horizontal cross sectional view taken along the lines 10—10 in FIG. 6;

FIG. 11 is a front elevational view of the globe for a warning lamp according to the third embodiment of our new design, the rear elevational view and the left and right side elevational views being a mirror image of the front elevational view;


FIG. 12 is a top plan view thereof;

FIG. 13 is a bottom plan view thereof;

FIG. 14 is a vertical cross sectional view of the globe for a warning lamp shown in FIG. 11; and,

FIG. 15 is an enlarged horizontal cross sectional view taken along the lines 15—15 in FIG. 11.

1 Claim, 6 Drawing Sheets



US D557,159 S

Page 2

U.S. PATENT DOCUMENTS

D267,899 S *	2/1983	Kolm et al.	D26/40	D485,004 S *	1/2004	Olson	D26/104
D316,459 S *	4/1991	Kira	D26/68	D485,374 S *	1/2004	McCue et al.	D25/126
D322,584 S *	12/1991	Kawashima et al.	D10/114	D495,819 S *	9/2004	Krieger et al.	D26/104
5,105,347 A *	4/1992	Ruud et al.	362/268	D507,374 S *	7/2005	Chen	D26/104
D363,036 S *	10/1995	Sasaki	D10/114	6,945,730 B1 *	9/2005	Lobban	404/9
D377,229 S *	1/1997	Shalvi	D26/68	2004/0265055 A1 *	12/2004	Zivkovic	404/6
6,514,006 B1 *	2/2003	Hines	404/9				

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15

