



US00D557175S

(12) **United States Design Patent**  
**Koroluk**

(10) **Patent No.:** **US D557,175 S**

(45) **Date of Patent:** **\*\* Dec. 11, 2007**

(54) **BUCKLE**

(76) Inventor: **Andrea Koroluk**, Röhrliberg 20,  
CH-6330 Chom (CH)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/214,808**

(22) Filed: **Oct. 8, 2004**

(51) **LOC (8) Cl.** ..... **11-07**

(52) **U.S. Cl.** ..... **D11/216**

(58) **Field of Classification Search** ..... D11/200,  
D11/201, 208-210, 212-218, 220, 230-234,  
D11/236-237, 86-87, 94; 63/15.2, 15; 24/307,  
24/625, 616, 200, 196, 637, 171, 169, 112,  
24/614, 615

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D209,566 S \* 12/1967 Jantzen ..... D11/216
- D467,521 S \* 12/2002 Yoshiguchi ..... D11/216
- D481,330 S \* 10/2003 Fildan et al. .... D11/218

- D508,873 S \* 8/2005 Yoshiguchi ..... D11/216
- D508,874 S \* 8/2005 Yoshiguchi ..... D11/216
- D509,167 S \* 9/2005 Yoshiguchi ..... D11/216

\* cited by examiner

*Primary Examiner*—Ralf Seifert

(74) *Attorney, Agent, or Firm*—Edward P. Dutkiewicz

(57) **CLAIM**

The ornamental design for a buckle, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of the claimed catch of a buckle illustrating my design. The latch of the buckle is shown in broken lines and forms no part of the invention.

FIG. 2 is rear elevational view of the buckle of FIG. 1.

FIG. 3 is top plan view of the buckle of FIG. 1.

FIG. 4 is bottom view of the buckle of FIG. 1.

FIG. 5 is a left end view of the buckle of FIG. 1; and,

FIG. 6 is a right end view of the buckle of FIG. 1.

**1 Claim, 3 Drawing Sheets**




FIG 1





FIG 2

FIG 3





FIG 4

FIG 5





FIG 6