

US00D557474S

(12) **United States Design Patent** (10) **Patent No.:** **US D557,474 S**
Kouyama et al. (45) **Date of Patent:** **** Dec. 11, 2007**

(54) **FORKLIFT TRUCK**

(75) Inventors: **Yoshiyuki Kouyama**, Osaka (JP);
Hideki Uchida, Osaka (JP); **Koji**
Shiizaki, Osaka (JP)

(73) Assignee: **TCM Corporation**, Osaka (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/270,480**

(22) Filed: **Dec. 22, 2006**

(51) **LOC (8) Cl.** **12-05**

(52) **U.S. Cl.** **D34/34**

(58) **Field of Classification Search** D34/34,
D34/35; 187/222, 237, 238; 414/631; 180/89.12,
180/89.13, 89.17

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D327,356 S * 6/1992 Laatsch D34/34
5,184,699 A * 2/1993 Aoki et al. 187/224
D346,259 S * 4/1994 Laatsch D34/34
D353,931 S * 12/1994 Kobayakawa et al. D34/34
D354,604 S * 1/1995 Soederberg D34/34
5,524,721 A * 6/1996 Yamauchi 180/69.2
5,560,451 A * 10/1996 Hincks 187/237
D386,877 S * 11/1997 Russey et al. D34/34
D393,134 S * 3/1998 Mariano D34/34
D393,516 S * 4/1998 Hahn et al. D34/34
D396,928 S * 8/1998 Hahn et al. D34/34
5,881,842 A * 3/1999 Kikukawa 187/222
D411,681 S * 6/1999 Murakami et al. D34/34
D412,385 S * 7/1999 Murakami et al. D34/34
D427,409 S * 6/2000 Sato et al. D34/34
D448,136 S * 9/2001 Yurushi et al. D34/34

D452,598 S * 12/2001 Sato D34/34
D466,268 S * 11/2002 Krammer et al. D34/34
D466,669 S * 12/2002 Krammer et al. D34/34
D468,885 S * 1/2003 Salin et al. D34/34
D469,236 S * 1/2003 Mitsuyoshi et al. D34/34
D470,990 S * 2/2003 Han et al. D34/34
D471,339 S * 3/2003 Mori D34/34
D471,340 S * 3/2003 Shibata et al. D34/34
D492,831 S * 7/2004 Kouyama D34/34
D518,268 S * 3/2006 Stark D34/34
D526,460 S * 8/2006 Goto et al. D34/34
D536,504 S * 2/2007 Righi D34/34
D538,004 S * 3/2007 Kouyama et al. D34/34
D542,004 S * 5/2007 Rigni D34/34
D542,503 S * 5/2007 Righi D34/34

* cited by examiner

Primary Examiner—Cynthia E. Ramirez

(74) *Attorney, Agent, or Firm*—The Webb Law Firm

(57) **CLAIM**

The ornamental design for a forklift truck, as shown and described.

DESCRIPTION

FIG. 1 is a rear perspective view of a forklift truck in accordance with the present invention;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;


FIG. 4 is a right side view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a top view thereof; and,

FIG. 7 is a bottom view thereof.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7